OPERATIONS EVENT REGISTER

Mother blueprint · the record of the live operation.

Vol: 17 | v0.1.3



49G Ltd.
ADGM, Abu Dhabi, UAE

Operations Event Register

Mother blueprint · the record of the live operation.

Release: Library · version v0.1.3, pinned by commit; no tag · status DRAFT, fixed test NOT_RUN: not yet run
Source: 49g-holding/49GAION-operations-event-register · blueprint/OER-BLUEPRINT.md @ b90633b
Precedence: 4 · Library part, DRAFT, NOT_RUN
Built: 31 October 2026 · by 49AIOC-OCO, from the Markdown at that commit; no word changed

© 2026 49G Holding Ltd (Abu Dhabi Global Market), the owner of 49GAION · texts licensed CC BY 4.0 · the Markdown on GitHub is the source and governs
Powered by 49GAION

```
# ── Blueprint metadata (machine-readable; the panel generator and the back-office
builder read this block) ──

blueprint:

  aioc: "[ORG]AIOC-OER"

  parent: "[ORG]AIOC-CH"                  # example code of the Charter; each organ
isation writes its own Charter's code (Standard §1.7, item 13)

  full_name: "Operations Event Register"

  organisation: "<organisation>"          # filled in each organisation's own copy

  type: "foundational"

  org_aion: "[ORG]AION"

  blueprint_version: "v0.1.3"

  status: "draft"

  template:

    name: "49GAION AIOC Blueprint Template"

    version: "v1.5.0, with the unreleased v1.6.0 additions on main"

    source: "github.com/49g-holding/49GAION-aioc, template/AIOC-BLUEPRINT-TEMPLATE.
md @ 1abae80"

  mother:

    name: "49GAION Operations Event Register"

    version: "part card v1 (DRAFT)"

    source: "github.com/49g-holding/49GAION-protocol, library/cards/operations-even
t-register.part-card.json and the Protocol section Operations Event Register (§22);
 Standard §3.1, item 13. This text is its mother blueprint, in its mother repositor
y github.com/49g-holding/49GAION-operations-event-register (49GAION DR-0024, DR-002
7)"

  writing_repository: "<org>aioc-oer"

  code_project: "<org>aioc-oer, on the organisation's code platform"

  panel_register_id: "none yet"

  capabilities:

    standard: ["Chief of Staff", "Office", "Input socket", "Panel"]

    functional: ["Capture", "Classification", "Numbering and Chain", "Linking", "Fo
llow-up", "Inbox, Outbox and Projections", "Coverage Feedback", "Feeds to Source Li
fecycle", "Evidence and Case Packs", "Integrity", "Surface Connection"]
```

Blueprint · [ORG]AIOC-OER · Operations Event Register · v0.1.3

Draft, 17 October 2026. v0.1.1, 19 October 2026: the Chief of Staff takes its COS code [ORG]CELL-COSOER (decisions/DR-0002). This is the mother blueprint of the Library part 49GAION Operations Event Register, for any organisation (49GAION/DR-0027; decisions/DR-0001). It is the part's first blueprint: no instance runs yet, and nothing here has run. Every fixed test reads NOT_RUN. Every rule rests on a 49GAION text, cited by section, or is new in this blueprint and marked **New**. Each organisation fills its own copy (§0, §2.1), and its values never come back here.

The Operations Event Register in one page

The Operations Event Register (OER) is the record of an organisation's live operation. It gives every formal act and every crossing between the organisation's units and positions one number in one register. Every crossing is recorded on every surface the organisation connects:

- letters and formal e-mail, in and out;
- the organisation's own posts;
- requests between its entities and between its units;
- hand-offs between its AI units at the tool gateway;
- merges and releases on its code hosts;
- changes of state on its task tracker and knowledge base;
- the formal channels of its team chat.

It records; it does not carry. Each item stays in its home: mail in the mail system, code on the code host, Work Items in the shared queue, AI traffic in the gateway log, posts on their platform. An entry holds:

- its number;
- its parties, as unit or position codes;
- its times;
- a reference to its home;
- the SHA-256 of its content;

- its follow-up state.

What comes out

1. **An inbox and an outbox for every unit**, from a whole entity down to one position: what came in, what went out, what is open and what is due.
2. **Feedback for every part**: what it had and what it lacked. For each unit and each process this means what was recorded and what was missing, what was answered and what is overdue, what was linked and what is orphaned, and what was done with a source and what without one.
3. **Evidence on demand**: "what did we send them, and when?" in one query, and an evidence pack verified by hash.
4. **For the rest of the [ORG]AION**:
   - Source Lifecycle receives the correspondence a position asks to keep, the projection of the work by role-type and process, and a gap signal for work done without a source.
   - The design stages read how the work really runs.
   - The internal-audit line reads the register directly; Self-Improvement reads it once top management adds it to the process's access.
   - A position's handover list is built on request, for top management's handover entry.

What it never does

- It decides nothing, sends nothing, and refuses nothing on its merits. The tool gateway gates; the register records.
- Nothing on the accountability path ever waits on it, and when it is down, work goes on and is registered late.
- **Acts, not activity.** Every act of an AI Cell is recorded, except that a Cell acting for a position is recorded only for the acts that leave the position's sphere. Of a human position, only its formal acts are recorded. The register never sweeps a mailbox or a chat. It keeps no read or response times, no presence and no recordings, and never counts, rates or keeps the history of a human position's acts. A human position sees only the live state of its own open items.
- It holds no secret, and never names a person.

Who decides

- The Cell carrying [ORG]HOAC-TM decides which surfaces and acts are formal.
- The position that holds data protection decides each surface's impact assessment and lawful basis (HF-17).
- The Operations Event Register Lead signs each connection.
- The register itself decides nothing.

Where this blueprint stands. The part is named in the Standard (§3.1, item 13) and in its Protocol section (§22). This blueprint states what the AIOC is. Its code, its adapters and its runtime are not built. The decisions only a human seat can take are listed once, in §13.

Reading (49GAION DR-0041). The complete definition of 49GAION, approved by its governing seat on 25 October 2026, is 49GAION-FRAMEWORK.md in github.com/49g-holding/49GAION. Where this repository differs from it, the definition governs, and this text is read with it. Every rule here that names [ORG]AIOC-OCO or the human hub reads as the Top Management Group, the hub of the operation, human and AI. The panel is the organisation's own code interface, and the AI chat workspace is its back office. The readings are in decisions/DR-0003. Nothing here is removed.



Section 00

Identity and lineage

Operations Event Register

Field	Value
Code	[ORG]AIOC-OER. Collision check (Naming Standard §5): **O**perations **E**vent **R**egister → OER. It does not recreate AIOC, AION or 49GAION. It is not an existing or retired code of the 49GAION corpus, and does not read as a version suffix or a misleading acronym. Each organisation checks it against its own unit register before first use (§17)
Full name	Operations Event Register
Description	"[ORG]AIOC-OER is <organisation>'s Operations Event Register core, built from 49GAION Operations Event Register"
Kind	AIOC
Parent	<code of the Charter of this [ORG]AION>; the cards use the example code [ORG]AIOC-CH. A top-level AIOC, beside Source Lifecycle. A change of parent is the listed type change-parent
Inner units	[ORG]CELL-OERL, [ORG]CELL-COSOER, [ORG]CELL-OERIC, [ORG]POD-OERCR, [ORG]POD-OERLF, [ORG]POD-OERPF: three Pods with their six Cells, and three Cells directly under the AIOC (§17). No inner AIOC
HOAC label	[ORG]HOAC-ACS, held by its top Cell, the Operations Event Register Lead [ORG]CELL-OERL (label_holder)
Accountable to	<code of the Cell carrying [ORG]HOAC-TM>; the cards use the example code [ORG]CELL-TMS (Naming Standard R15). That Cell signs this AIOC's install, its change-parent and its restart-stopped-unit (Standard §5.3, item 4; §4.4, item 3)
Type	Foundational: every unit's inbox and outbox, and the feedback to every part, rest on it (§16)
[ORG]AION	[ORG]AION, based on 49GAION Standard v1.5.0, with the unreleased v1.6.0 texts on main
Versioned Definition	this file; the Panel and the Back office are built from it
Organisation	<organisation>

Field	Value
Made from	the Library part 49GAION Operations Event Register, part card v1 (DRAFT), and Protocol §22
Template	49GAION AIOC Blueprint Template v1.5.0 at 1abae80, with the v1.6.0 additions: the mechanism register and Reserve, checks that are not fixed tests, the added Configuration rows, position codes only, the stages table, the Library's cases, and Done when
Mother	49GAION Operations Event Register, part card v1. This text is its mother blueprint, held in the part's mother repository github.com/49g-holding/49GAION-operations-event-register and pinned in the Library register (49GAION/DR-0024, DR-0027)
Blueprint version and status	v0.1.3 · draft
Accountable seat ([ORG]HOAC-ACS)	the Operations Event Register Lead, [ORG]CELL-OERL, a HOAC position. Who holds it is the organisation's own mechanism, outside the system; this AIOC never sees it (Standard §1.1, item 9)
Reports to	the Cell carrying [ORG]HOAC-TM
Writing repository	<org>aioc-oer, private where it holds the organisation's data. It has two companions: -records for the AIOC's own run records, and -records-restricted for records that name a person (Naming Standard R9; Protocol §14, item 6). The register itself lives in the runtime's own store, never in a repository (§7)
Code project	<org>aioc-oer, on the organisation's code platform: the adapters, the register's store and its projections
Panel	not yet built (§4.4)
Back office	not yet built
Attribution	Powered by 49GAION

Lineage. The idea began as a registry office, the secretariat an organisation keeps so that every incoming letter is registered first and its origin known, and

every outgoing letter passes through it too. It was first reviewed as a side of Source Lifecycle. The governing seat of 49GAION made it an AIOC of its own, widened it from correspondence to almost every act of the live operation, and named it (49GAION/DR-0027). Three independent reviews shaped it: the role in an [ORG]AION and the architecture; governance, data protection and labour law; and product, connectors and name. All three agreed on one condition: acts, not activity.



Section 01

Card (49GAION Operating Protocol §3)

```
card:
  unit_kind: "AIOC"
  code: "[ORG]AIOC-OER"
  parent: "[ORG]AIOC-CH"                  # example code of the Charter, the root A
IOC; only it has parent none (Standard §1.7, item 13)
  inner_units: ["[ORG]CELL-OERL", "[ORG]CELL-COSOER", "[ORG]CELL-OERIC", "[ORG]POD-
OERCR", "[ORG]POD-OERLF", "[ORG]POD-OERPF"]
  type: "foundational"
  org_aion: "[ORG]AION"
  card_version: "v0.1.3"
  input_door: "Chief of Staff"
  wake: { method: "queue", verified: false }
  receives:
    - kind: "surface event"               # a change of state of a work object on a
 connected surface
      format: "event from a surface adapter, through the tool gateway, on the surfa
ce-in port of the Capture Clerk: the object's home reference, its new state, its ti
me, its content hash, and its parties as codes once the Input socket has removed ev
ery person field"
      acceptance_test: "TEST-OER v1, cases 2, 4, 17, 18, 21"
      decision_needed: false
    - kind: "gateway record"              # AI hand-offs and the root of each gatew
ay log segment, read only
      format: "a hand-off record (Cell codes, payload hash) or a log segment root,
read from the tool gateway's log on the gateway-log-in port"
      acceptance_test: "TEST-OER v1, cases 7, 36"
      decision_needed: false
    - kind: "registration request"        # register first: the gateway registers a
 formal outgoing item before it releases it
      format: "the item's metadata and content hash at release; its number issued b
y the numbering service (Protocol §14, item 4)"
      acceptance_test: "TEST-OER v1, cases 5, 22"
      decision_needed: false
    - kind: "file request"                # a position asks to keep an entry, or fi
les an item from its personal mailbox
      format: "the position's own act, through the HU input port: 'file this', with
 the entry or the item's reference"
```

```
      acceptance_test: "TEST-OER v1, cases 8, 30"
      decision_needed: false
    - kind: "surface connection request"  # a new surface, entity or class of act
      format: "Work Item (Protocol §4.1) naming the surface, the entities, the clas
ses of act, the stated purpose, and the records of the decisions before it (Annex F
)"
      acceptance_test: "TEST-OER v1, cases 14, 37"
      decision_needed: true               # connect-external-port, signed at the to
ol gateway by the Lead after the scope and the HF-17 decision are recorded
    - kind: "notice from Source Lifecycle" # supersession, revocation or reclassifi
cation of a source an act cited; and references only of cited sources
      format: "notice naming each affected reference and version, never the content
 (Protocol §13, items 9 and 12); a source reference (ID, version, status, held or n
ot held) read under the register's signed grant"
      acceptance_test: "TEST-OER v1, case 23"
      decision_needed: false
  delivers:
    - kind: "register entry"
      format: "append-only, hash-chained entry (Annex B), in the register's own sto
re"
      usual_receivers: ["the register itself; read by the Panel, Self-Improvement a
nd the internal-audit line"]
    - kind: "inbox and outbox"
      format: "Panel view of the entries at a unit's ports, rebuilt from the events
"
      usual_receivers: ["every unit and position of the [ORG]AION, through its HU o
utput port"]
    - kind: "notice of due or overdue"
      format: "notice to the owning position of an open entry: its number, its refe
rence, its due date; never an order"
      usual_receivers: ["the owning position", "the watchdog (Protocol §4.6, item 5
)"]
    - kind: "coverage feedback"
      format: "measures M1 to M8 (Annex C) by entity, unit, process and AI Cell, ea
ch with its logic version and trace to its events"
      usual_receivers: ["the unit's own seat", "the Cell carrying [ORG]HOAC-TM", "S
elf-Improvement, pseudonymised, once [ORG]HOAC-TM adds the register to its access"]
```

```
    - kind: "correspondence filing"
      format: "a source of origin kind correspondence, filed into Source Lifecycle
with the entry's content hash, on behalf of the position that asked to keep it"
      usual_receivers: ["[ORG]AIOC-SL"]
    - kind: "activity export"
      format: "the projection of the work as it runs, by role-type and process, wit
h its as-of date, filed into Source Lifecycle as an export after its HF-17 decision
"
      usual_receivers: ["[ORG]AIOC-SL"]
    - kind: "gap signal"
      format: "one signal per act done without a source, by reference to the entry,
 never content"
      usual_receivers: ["[ORG]AIOC-SL"]
    - kind: "evidence pack"
      format: "the entries asked for, their homes and hashes, verified by re-hash w
here the home is readable"
      usual_receivers: ["the asking position, through its HU output port"]
    - kind: "handover list"
      format: "a position's open entries and commitments, rebuilt from the events,
on request"
      usual_receivers: ["that position, through its HU output port", "the Cell carr
ying [ORG]HOAC-TM, for its handover entry (Protocol §4.10, item 17)"]
    - kind: "case pack"
      format: "pseudonymised past cases of a process, replayable, under a Work Item
 of the Cell carrying [ORG]HOAC-TM"
      usual_receivers: ["Self-Improvement, for shadow runs, once its access include
s the register", "the human seat that chooses the golden set, and the assurance uni
t, for golden-set cases (Standard §2.3, items 7 and 9; §2.4, item 4)"]
    - kind: "integrity finding"
      format: "a gap, a census difference, a rebuild difference or a missing segmen
t anchor, with its evidence"
      usual_receivers: ["the Operations Event Register Lead", "the internal-audit l
ine (HF-19)"]
  anatomy:
    panel: { health: { tests: true, metrics: ["stuck", "returned", "late", "entries
 registered late", "lag", "number gaps", "census differences", "rebuild differences
", "segment anchors missing", "surfaces connected", "surfaces waiting for decisions
", "open entries past due", "file requests", "feeds waiting"] } }
```

```
    back_office: { converses_with_humans: true, hosts: ["Chief of Staff", "Office"]
, protocol_traffic: true }
    definition: { location: "<org>aioc-oer, blueprint/OER-BLUEPRINT.md", version: "
v0.1.3" }
    delivery: { rollback: "one-click" }
    connectors:
      - { role: "mail system (functional mailboxes)", connector: "surface adapter,
one per surface type", access_managed_in: "panel" }   # every grant is signed at th
e tool gateway as connect-external-port (Protocol §22, item 14)
      - { role: "letters (the dispatch and arrival record)", connector: "surface ad
apter", access_managed_in: "panel" }
      - { role: "the organisation's own social accounts", connector: "surface adapt
er, one per platform", access_managed_in: "panel" }
      - { role: "code hosts", connector: "surface adapter, one per host", access_ma
naged_in: "panel" }
      - { role: "task tracker", connector: "surface adapter", access_managed_in: "p
anel" }
      - { role: "knowledge base", connector: "surface adapter", access_managed_in:
"panel" }
      - { role: "team chat (formal channels only)", connector: "surface adapter", a
ccess_managed_in: "panel" }
      - { role: "calendars of decision bodies", connector: "surface adapter", acces
s_managed_in: "panel" }
    gateway: { metering_id: "<per-AIOC metering id>" }
  full_name: "Operations Event Register"
  version: "0.1.3"
  lineage: { id: "[ORG]AIOC-OER", version: "0.1.2", relation: "original" }
  lifecycle_state: "designed"
  blueprint_version: "v0.1.3"
  template_version: "v1.5.0"
  accountable_to: "[ORG]CELL-TMS"         # example code of the Cell carrying [ORG]
HOAC-TM (Naming Standard R15); never a Cell inside this AIOC
  top_cell: "[ORG]CELL-OERL"
  hoac: "[ORG]HOAC-ACS"
  label_holder: "[ORG]CELL-OERL"
  fixed_test: { id: "TEST-OER", version: "v1", owner: "[ORG]CELL-TMS" }
  skills:
```

```
    - { id: "oer-capture", name: "Capture of formal acts from every connected surfa
ce, by reference and hash", tags: ["capture"] }

    - { id: "oer-register", name: "Numbering, hash chain and classification of entr
ies", tags: ["register"] }

    - { id: "oer-follow-up", name: "Linking and follow-up of open entries", tags: [
"follow-up"] }

    - { id: "oer-feedback", name: "Inbox, outbox and coverage feedback by unit and
process", tags: ["feedback"] }

    - { id: "oer-evidence", name: "Evidence packs, handover lists and case packs",
tags: ["evidence"] }

  ports:

    - { unit: "[ORG]AIOC-OER", port: "ai-in", direction: "input", type: "AI", ident
ification: "technical-key", accepted_content: ["surface event", "gateway record", "
registration request", "notice from Source Lifecycle"], authority_limit: "within ea
ch surface's signed grant and the classes of act set as formal; a person field is r
emoved before any write, and an event that cannot be cleared of it is refused", aud
it_trail: "the register's own event store and the unit register", required_tests: [
"TEST-OER v1"], enforcement: "shared-gateway-outside-unit" }

    - { unit: "[ORG]AIOC-OER", port: "ai-out", direction: "output", type: "AI", ide
ntification: "technical-key", accepted_content: ["correspondence filing", "activity
 export", "gap signal", "case pack", "notice of due or overdue"], authority_limit:
"by reference and hash only; never content beyond a filing a position asked for; ne
ver a person's name; never a figure about one human position", audit_trail: "the re
gister's own event store and the Work Item record", required_tests: ["TEST-OER v1"]
, enforcement: "shared-gateway-outside-unit" }

    - { unit: "[ORG]AIOC-OER", port: "hu-in", direction: "input", type: "HU", ident
ification: "live-human-sign-in-at-gateway", accepted_content: ["file request", "sur
face connection request", "evidence pack request", "closure of an entry with its re
ason", "direction from the Lead"], authority_limit: "the position's own entries and
 its authority_scope; a connection needs its signature at the tool gateway", audit_
trail: "the register's own event store", required_tests: ["TEST-OER v1"], enforceme
nt: "shared-gateway-outside-unit" }

    - { unit: "[ORG]AIOC-OER", port: "hu-out", direction: "output", type: "HU", ide
ntification: "live-human-sign-in-at-gateway", accepted_content: ["inbox and outbox"
, "notice of due or overdue", "coverage feedback", "evidence pack", "handover list"
, "return brief", "brief to the Lead"], authority_limit: "information only; a human
 position sees only its own open items, never a measure of itself or of another hum
an position", audit_trail: "the register's own event store", required_tests: ["TEST
-OER v1"], enforcement: "shared-gateway-outside-unit" }

    - { unit: "[ORG]AIOC-OER", port: "stop", direction: "input", type: "HU", identi
fication: "live-human-sign-in-at-gateway", accepted_content: ["stop"], authority_li
mit: "stop only", audit_trail: "unit register", required_tests: ["TEST-OER v1"], en
forcement: "shared-gateway-outside-unit", stop_door: true }
```

```
  configuration:                          # every slot is set by the organisation (
§15); an empty slot fails the joining test

    office_accountable_human: { value: "<set by the organisation>", set_by: "<posit
ion>", date: "<date>", version: "<vN>" }

    central_head: { value: "<code of [ORG]AIOC-OCO>", set_by: "<position>", date: "
<date>", version: "<vN>" }

    discussion_limits: { value: "<set by the organisation>", set_by: "<position>",
date: "<date>", version: "<vN>" }

    waiting_deadlines: { value: "<per status>", set_by: "<Cell carrying [ORG]HOAC-T
M>", date: "<date>", version: "<vN>" }

    bounce_limit: { value: "<number>", set_by: "<position>", date: "<date>", versio
n: "<vN>" }

    chain_depth: { value: "<number, at least 1>", set_by: "<position>", date: "<dat
e>", version: "<vN>" }

    halt_request_priority: { value: "immediate", set_by: "<position>", date: "<date
>", version: "<vN>" }

    budget_cap: { value: "<amount per period>", set_by: "<Cell carrying [ORG]HOAC-T
M>", date: "<date>", version: "<vN>" }

    unattended_action: "read-record-triage"

    formal_scope: { value: "<surfaces, entities and classes of act set as formal, w
ith the stated purpose, Annex A>", set_by: "<Cell carrying [ORG]HOAC-TM>", date: "<
date>", version: "<vN>" }

    minimum_group_size: { value: "3", set_by: "<Cell carrying [ORG]HOAC-TM>", date:
 "<date>", version: "<vN>" }

    retention_schedule: { value: "<per entity and class>", set_by: "<Cell carrying
[ORG]HOAC-GOV> (HF-01)", date: "<date>", version: "<vN>" }

    records_officer_position: { value: "<position code>", set_by: "<Cell carrying [
ORG]HOAC-TM>", date: "<date>", version: "<vN>" }

    data_protection_position: { value: "<position code>", set_by: "<Cell carrying [
ORG]HOAC-TM> (HF-17)", date: "<date>", version: "<vN>" }

    register_first: { value: "<off, or the classes it applies to>", set_by: "<Cells
 carrying [ORG]HOAC-TM and [ORG]HOAC-GOV> (change-gateway-policy)", date: "<date>",
 version: "<vN>" }
```

Joining the protocol. This AIOC joins only after every input and output on this card passes fixed samples (the joining test, Protocol §11, item 1; Standard §3.2, item 4). Until then its lifecycle_state stays designed and no Work Item is routed to it. A surface is connected only through the sequence of Annex F; with none connected, the card still joins on fixtures, and the Panel reads no surface

connected. The cards of its Pods and Cells are set in §17 and generated into cards/.



Section 02

Organisation table and placement

2.1 Organisation table

The blueprint writes [ORG] for the organisation's prefix, as central texts do (Naming Standard R13). Each organisation fills [ORG] in its own copy. Positions only; who holds each one is kept only in the private register copy (Standard §5.2, Position Principle).

Term in the blueprint	In <organisation>
[ORG]AION	<filled by the organisation>
The Top Office (decisions are signed by human Cells carrying HOAC labels)	<filled by the organisation>, the human hub
The Cell carrying [ORG]HOAC-GOV	the Governing Body position, <code>
The Cell carrying [ORG]HOAC-TM	the human hub position, <code>; the cards use the example code [ORG]CELL-TMS until the organisation's register gives its code
[ORG]AIOC-OCO	<filled>, the Operating Core Office
The Charter of this [ORG]AION	<code from the organisation's register>; the cards use the example code [ORG]AIOC-CH
[ORG]AIOC-SL	<filled>, Source Lifecycle, where the feeds of §5.8 are filed
The entities	<filled>: each legal entity of the organisation has its own number streams and its own universe of entries (Protocol §22, item 14)
The surfaces	<filled>, by role only in this blueprint (§8). Each surface's product name appears only in the organisation's own copy (Protocol §10, item 5)
The position that holds data protection (HF-17)	<position code>, set in data_protection_position (§15)

Term in the blueprint	In <organisation>
The Records Officer	<position code>, a HOAC position elsewhere in the organisation, set in records_officer_position (§15). It receives items that look legal or regulatory, holds the retention schedule's application, and places and lifts legal holds as the organisation's rules allow
The internal-audit line (HF-19)	<position code>
The engineering division	<to be set by the human hub>: builds the adapters and the store
The IT and infrastructure division	<filled> (the vault, the tool gateway's hosting, the register's store)
The tool gateway	carried by the Charter and run as code beside the core, outside the reach of every AI (Standard §4.4, item 11; 49GAION/DR-0052). Every surface connection, every register-first issue and every stop passes through it

2.2 Placement

- **Where it sits.** A top-level AIOC under the Charter, beside Source Lifecycle. Like every part, it enters through OCO.
- **Its role.** It keeps the record of the organisation's live operation, so that every formal act has a number, a home and a state, and every part can see what it had and what it lacked.
- **Scope.**
  - **It does:** capture the formal acts and crossings of the organisation's units and positions from every connected surface; classify, number and chain them; link them to their threads, Work Items, decisions, releases and sources; follow open entries to their due dates; show every unit its inbox and outbox; give each unit and process its coverage feedback; file into Source Lifecycle what a position asks to keep, the projection of the work and the gap signals; build evidence packs, handover lists and case packs; prove its own integrity every day.

- **It does not:** decide, send, authorise or refuse anything on its merits; hold the content of what it records; watch a person's activity; measure, rank or compare human positions; sweep a mailbox or a chat; record a call; read a private message; take any part of the whistleblowing channel; give an order; hold a secret.
- **Companies it serves.** Every entity of the organisation, each with its own number streams and universe.
- **Boundaries with other AIOCs and parts.**

Part (home of)	This AIOC does	It never
The tool gateway and its log (Standard §4.4, item 11)	reads its hand-offs and segment roots, read only; records the register-first issue the gateway asks for	gates, signs, refuses on merit, writes the gateway log, or holds a signature
The shared queue and Work Items (Protocol §2, §4)	uses a Work Item's ID as the entry's link for a request between units; projects the queue's events	opens, routes, owns or closes a Work Item
Provenance (Protocol §8)	checks after the fact whether an act cited a valid source	edits a Work Item or a source
[ORG]AIOC-SL (Protocol §13): content and sources	files what a position asks to keep, the activity export and gap signals; reads references only of the sources its entries cite, under its signed grant (Protocol §13, item 12)	reads or holds content; serves a source
Panels, built by [ORG]AIOC-OCO (Standard §5.3, item 5)	serves projections as portals (Protocol §14, item 2)	builds a Panel or an HU route
The unit register	reads the position entries of each unit and position	writes it, or reads anything about who holds a position

Part (home of)	This AIOC does	It never
Self-Improvement, in [ORG]HOAC-TM (Standard §2)	gives evidence and shadow-run case packs, pseudonymised, once [ORG]HOAC-TM adds the register to the process's access (§2.1, items 7 and 8)	becomes its only path (§2.1, item 7); gives it entries of the accountability path or golden-set cases; grades a unit (§2.3, item 9)
The internal-audit line (HF-19) and the Outside Inspector	is read by them directly, read only	audits, inspects, or becomes the internal-audit line
The watchdog (Protocol §4.6, item 5)	shows what is due and overdue	chases, gives orders, or escalates in its own name

- **Overlap.** None inside an [ORG]AION. The gateway log and this register overlap only in AI traffic: the log stays its home, and the register keeps one root hash per log segment and the hand-offs (§5.10).



Section 03

Positions

Operations Event Register

Position (standard title)	Purpose	Reports to	Run today by	Cover
Operations Event Register Lead (HOAC position)	the accountable seat of this AIOC. It signs each surface connection (connect-external-port) once the scope and the HF-17 decision are recorded, and revokes. It owns the fixed tests of its parts and rules on what the Chief of Staff raises. It answers for the register, never for the content of what it records	the Cell carrying [ORG]HOAC-TM	a HOAC position ([ORG]HOAC-ACS). Who holds it, and how, is the organisation's own mechanism, outside the system; this AIOC never sees it. While the position is empty (no credential in force for it), the Chief of Staff only advises, matters go to the Cell carrying [ORG]HOAC-TM, and every act that needs this position's signature waits (Protocol §4.10, item 21)	the organisation's own mechanism, outside the system
Chief of Staff	keeps the register running and honest; this AIOC's voice to the Lead; the door for file requests, evidence requests and surface connection requests	Operations Event Register Lead	an agent ([ORG] CELL-COSOER)	none; requests are held, never closed
Capture Clerk	runs the surface adapters, builds each entry, takes its number, chains it, and reconciles the census	Chief of Staff	an agent ([ORG] CELL-OERCC)	none; capture waits, and every event is registered late

Operations Event Register

Position (standard title)	Purpose	Reports to	Run today by	Cover
Classifier	places an ambiguous item in its class, with its reason; sends an item that looks legal or regulatory to the Records Officer position at once	Chief of Staff	an agent ([ORG] CELL-OERC)	none; the item is held unclassified and shown
Thread Linker	links each entry to its thread, Work Item, decision, release and source	Chief of Staff	an agent ([ORG] CELL-OERTL)	none; the entry stays unlinked and is counted
Follow-up Clerk	sets the due state of open entries from the process design or the surface's rule, and sends notices to the owning position	Chief of Staff	an agent ([ORG] CELL-OERFC)	none; the due state is not refreshed, and the Panel says so
Projection Builder	builds the inboxes and outboxes, the handover lists, the return briefs, the evidence packs and the case packs	Chief of Staff	an agent ([ORG] CELL-OERPB)	none; the projection shows its last rebuild time
Coverage Analyst	computes the coverage feedback and the activity projection, and raises gap signals	Chief of Staff	an agent ([ORG] CELL-OERCA)	none; the feedback is not refreshed, and says so
Integrity Checker	proves every day that the register is whole: numbers, census, rebuild, segment anchors	Operations Event Register Lead	an agent ([ORG] CELL-OERIC)	none; the check shows unknown, never pass

- **Every human position is a HOAC position.** This AIOC starts with one, the Lead. The Records Officer, the position that holds data protection and the internal-audit line are HOAC positions elsewhere in the organisation, set in §15. No AI Cell ever holds one.
- **No natural person** (Standard §1.1, item 9). This blueprint deals with positions only.

- **The Integrity Checker reports to the Lead, not to the Chief of Staff,** so that the part that runs the register does not direct the part that checks it (**New** as a placement; HF-18).
- No AI Cell signs, approves or decides anything (Protocol §10, item 3). Each AI Cell's bot has its own identity card (§17).
- **No model at capture or wake** (Protocol §7). Capture, numbering, chaining and the projections are code steps run by their Cells. A model is used only by the Classifier, for an ambiguous item, within its budget.



Section 04

Standard capabilities

Defaults are in docs/STANDARD-CAPABILITIES.md of 49GAION-aioc at 1abae80. The differences are listed in §11.

4.1 Office

Definition

Default · form: **single Chief of Staff**. An Office forms only when the Lead needs more than one Chief of Staff, for example one per entity under heavy load. It is proposed to the Lead, never self-created.

Process (SOP)

Default.

Role card

None while the form is a single Chief of Staff.

Fixed test

TEST-OER-COSOER v1 (TEST-OER v1, case 45) · result NOT_RUN

4.2 Chief of Staff

Definition

Default, **connecting** kind: it connects the organisation's positions with the register, and reports to its HOAC seat, the Lead. With these additions:

- **The door.** File requests, evidence pack requests, closures with their reasons and surface connection requests arrive through it. It answers by reference.
- **The orchestrator of the register.** It dispatches the Cells, runs their code steps, and writes the AIOC's own event record. Code is a tool, never a seat.
- **Acts, not activity.** It refuses every request that would make a figure, a list or a history about one human position's acts. It records each refusal to the

position that holds data protection and to the internal-audit line (Protocol §22, item 7).

- **Its HOAC seat is a position** (Position Principle). It names the Lead by position code only.

Process (SOP)

Default, plus:

1. **Intake.** Every arrival goes first to the Input socket (§4.3) → admitted event (evidence: the event store).
2. **Dispatch.** Each admitted event goes to the Capture Clerk, and from there to classification, linking and follow-up → entry (evidence: the entry and its chain).
3. **File requests.** A position asks to keep an entry. The Chief of Staff files it into Source Lifecycle (§5.8) and returns the filing receipt → correspondence filing (evidence: the receipt and the equal hash).
4. **Evidence requests.** A position asks for an evidence pack within its scope. The Projection Builder builds it, and the Chief of Staff returns it → evidence pack.
5. **Surface connection.** It prepares a surface connection request for the Lead only when the scope, the HF-17 decision and the notices are recorded (Annex F) → decision request (evidence: the request record).
6. **Raise, never guess.** An event that cannot be cleared of a person field, an item outside the formal scope, or a finding of the Integrity Checker goes to the Lead in one line, with its evidence → raised item.
7. **Stops.** A stop takes effect at the tool gateway on every Pod and Cell of this AIOC; capture stops and nothing in flight is closed. After a signed restart-stopped-unit, capture resumes and every event of the stopped interval is registered late from its home → nothing (evidence: the unit register).
8. **Brief.** Each morning, and when called, it briefs the Lead: surfaces connected and waiting, late entries and lag, integrity findings, feeds waiting, and requests it refused → brief.

Role card

Field	Content
Name	Chief of Staff
Position and seat	the position Chief of Staff; accountable seat: the Operations Event Register Lead ([ORG]HOAC-ACS)
Performed by	an agent ([ORG]CELL-COSOER, full name Operations Event Register Chief of Staff)
Purpose	keep the register running, whole and honest, and be the door through which positions reach it
Authority limits	**Alone:** dispatch, run code steps, file what a position asks to keep, return evidence packs within scope, refuse a request about one human position, send notices and briefs. **Needs the Lead:** any change to configuration; any act on a surface's grant; a budget above the cap; an item it raised. **Never:** decide, send or refuse an item on its merits; give an order; read a private message or a call; make a figure about one human position; name a person; close an entry by silence; hold a secret
Write location	the event record of this AIOC and its Work Items
Reports to	the Operations Event Register Lead
Escalation	to the Lead in one line, with evidence linked; while the Lead's position is vacant, to the Cell carrying [ORG]HOAC-TM; a stop goes to the stop door, never through this Cell
Tools and access	the code steps of the code project; the adapters, through the tool gateway, within their signed scopes; the unit register, read only (positions only, never who holds them); no credential in any instruction
Deputy and cover	none; on failure, requests are held and the Lead is told
Fixed test and score	TEST-OER-COSOER v1 (§9), plus the default Chief of Staff test (a) to (l)
Card version and status	v0.1.0 · draft

Fixed test

TEST-OER-COSOER v1 · result NOT_RUN

4.3 Input socket

Definition

Default, with this AIOC's standard format, the **admitted event**, which holds:

- the surface and its signed grant;
- the object's home reference;
- the change of state and its time;
- the content's SHA-256, or a snapshot hash with its as_of time for a mutable object;
- the parties as unit or position codes, or as the ID of an outside party in the restricted partition;
- the capture mode.

Converters, one per surface type (Annex D). Each is a tested change; adding one changes no capability.

Converter	Input	What it does
mail	an event of a functional mailbox	keep the message ID, direction, parties as codes, time and the hash of the raw message; keep the attachment manifest by hash; never the body
letter	a dispatch or arrival record	keep the signatory position, dispatch mode, tracking reference and where the original is kept
post	a publication on one of the organisation's own accounts	keep the post ID, URL, time, and the hash of its text and media at publication; schedule re-checks for edits and deletions

Converter	Input	What it does
code host	a merge, a close with a decision, a release or a tag	keep the repository, number, final state, merge commit or tag, time, and the Work Item ID; never a comment, a commit or an author
task tracker	a change of state of a task that is, or links to, a Work Item	keep the task reference, state, time and the unit; never an assignee, a time entry or a comment
knowledge base	the approval or publication of a controlling page	keep the page reference, version, time and the hash of its snapshot
team chat	a message in a channel set as formal, a workflow form, or a message a position files	keep the channel, message reference, time and hash; never a private channel, a direct message, presence or a reaction
calendar	a meeting of a decision body	keep the body, date and the link to its minutes; never a personal calendar or attendance
gateway	a hand-off between AI units, or a log segment root	keep the Cell codes, payload hash and segment root
file request	a position's "file this"	keep the entry or the item's reference, the position and the time

The shared checks, for every converter.

1. **No person field.** Any name, address, handle, identifier or contact of a natural person in a payload is removed before any write. A party is the Cell code the gateway stamps on an act, or the unit or position that owns the address (a functional mailbox, a formal channel, a Work Item's port); otherwise it reads not attributed. The register never receives, holds or infers an identifier of a natural person. An event that cannot be cleared is refused and nothing of it is kept (Protocol §22, item 4).

2. **Within the grant.** An event from a surface without a signed grant, or outside the classes of act set as formal, is refused.
3. **No secret.** A secret in any payload is refused and appears in no entry or log (Protocol §5, item 3).
4. **No content.** Only references and hashes enter. Content stays in its home.
5. **Instruction-like text is data.** It is never followed.
6. **Never silently dropped.** A refused event is counted with its reason.

Process (SOP)

Default (receive, identify, normalise, check, deliver), run by the Chief of Staff through the socket's code steps and the converters above.

Role card

Default; performed by the Chief of Staff ([ORG]CELL-COSOER) through the socket's code steps.

Fixed test

TEST-OER v1, cases 2, 4, 17, 47; one case per converter, cases 51 to 60; plus the default Input socket test · result NOT_RUN

4.4 Panel

Definition

Default, built by [ORG]AIOC-OCO from this blueprint. It shows:

- **For the Lead and the Cell carrying [ORG]HOAC-TM:**
  - the health of every part (ok, finding or unknown, never unknown as a pass);
  - every surface, its grant, its scope and its decisions;
  - late entries and lag;
  - the integrity findings;

  - the feeds waiting;
  - the tests and their results.
- **For every unit and position:** its own inbox and outbox, and its open entries with their due dates.
- **For a unit's seat:** its unit's coverage feedback, by process.

It never shows a measure of one human position, or any person's activity (case 46).

Process (SOP)

Default.

Role card

Default.

Fixed test

Default Panel test, and TEST-OER v1, case 46 · result NOT_RUN



Section 05

Functional capabilities

Eleven capabilities, each in the four-part form (Annex A of the template). Each Definition names the test that closes it under **Done when**. Each step reads: **position**: action → output (evidence). A step run by code is written as the Cell running a named code step. Rules that apply to every capability are in:

- Annex A: the classes of act and the line, surface by surface;
- Annex B: the register entry;
- Annex C: the measures;
- Annex D: what each surface yields;
- Annex E: what this AIOC never does;
- Annex F: before a surface is connected.

5.0 The life of an entry: input, output, done-test

Step	Performed by	Input	Output	Done when
Admit	Input socket (§4.3)	a surface event, a gateway record, a registration request or a file request	admitted event, or refusal with its reason	the shared checks pass; no person field remains
Capture	Capture (§5.1)	admitted event	a draft entry with its capture mode	the event is in the store, with its home reference and hash
Classify	Classification (§5.2)	draft entry	its class A to F	exactly one class; noise counted; private never kept
Number and chain	Numbering and Chain (§5.3)	classified entry	numbered, chained entry	its number from the numbering service; its hash chains to the one before
Link	Linking (§5.4)	entry	links to thread, Work Item, decision, release, source	every reference resolves, or is a finding
Follow	Follow-up (§5.5)	open entry	due state; notices	it ends with a closure reason, never by silence
Show	Inbox, Outbox and Projections (§5.6)	the events	inbox, outbox, handover list, return brief	a rebuild equals the projection
Feed back	Coverage Feedback (§5.7)	the events	M1 to M8 by unit and process	each figure traces to its events

Operations Event Register

Step	Performed by	Input	Output	Done when
File	Feeds to Source Lifecycle (§5.8)	a file request; the period's projection; an act with no source	correspondence filing, activity export, gap signal	Source Lifecycle's receipt, with an equal hash
Prove	Evidence and Case Packs (§5.9); Integrity (§5.10)	the events; the homes	evidence pack, case pack, integrity finding	verified by hash; the daily checks run

5.1 Capture Definition

Field	Content
Name	Capture
What it is	One adapter per connected surface turns each change of state of a work object into an admitted event: a mail sent or received, a letter dispatched, a post published, a Work Item passed, a merge or release, a task's state changed, a controlling page approved, a formal channel's message, a decision body's meeting. The Capture Clerk builds the draft entry from it, by reference and hash.
Purpose	Have every formal act of the organisation in one register, on every surface, without copying its content.
Scope	does: run the adapters; take the capture mode (gated, pushed, fetched, reconciled); hash, or snapshot-hash with as_of for a mutable object; reconcile each surface with its census; register late what arrives late; does not: record a person's activity (a view, a read, presence, typing, a reaction); keep content; reach a surface outside its grant
Inputs	admitted events, from the Input socket
Outputs	draft entries; the census reading per surface
Limits	Annex A, Annex D; no model at capture (Protocol §7); every event within its surface's signed grant
Sources	Protocol §22, items 2 to 4 and 13; §14, items 1 and 5; Standard §3.1, item 13
Status	draft
Done when	TEST-OER v1, cases 17, 18 and 19 pass

Process (SOP)

Field	Content
Trigger	an event pushed by a surface; a scheduled fetch where a surface does not push; a reconciliation run
Steps	1. **Capture Clerk**: run the adapter's code step for the event → admitted event (event store). 2. **Capture Clerk**: build the draft entry: home reference, times, parties as codes, content hash or snapshot hash with as_of, capture mode → draft entry. 3. **Capture Clerk**: once a day, compare what each surface reports (its census, where it gives one) with what was registered; register late, from its home, each crossing that was missed → census reading, late entries.
States	received → admitted → drafted; or refused, with its reason
Failure and recovery	an adapter that falls silent is a finding (Protocol §22, item 13); a surface with no census reads no census, never an estimate
Records	the event store; the census readings
Cadence	on each event; reconciliation daily
Measures	events admitted and refused, by surface and reason; census difference per surface

Role card

Field	Content
Name	Capture Clerk
Position and seat	Capture Clerk; accountable seat: the Operations Event Register Lead
Performed by	an agent ([ORG]CELL-OERCC)
Purpose	turn every formal act on every connected surface into an entry, by reference and hash
Authority limits	alone: run the adapters and the numbering and chain steps, register late; never: keep content, record a person's activity, reach outside a grant, change a past entry
Write location	the register's event store
Reports to	the Chief of Staff
Escalation	through the Chief of Staff
Tools and access	the surface adapters through the tool gateway, read only, within their grants; the numbering service
Deputy and cover	none; capture waits, and every event is registered late from its home
Fixed test and score	TEST-OER-OERCC v1
Card version and status	v0.1.0 · draft

Fixed test

TEST-OER-OERCC v1 (TEST-OER v1, cases 3, 4, 17, 18, 19, 22) · result NOT_RUN

5.2 Classification Definition

Field	Content
Name	Classification
What it is	Each draft entry takes one class (Annex A): A, formal correspondence; B, a request between units or entities; C, machine traffic; D, a code-host event; E, noise; F, private. Most classes follow from the surface and the act by rule; the Classifier decides only an ambiguous item, with its reason.
Purpose	Keep what is formal, count what is noise, and never keep what is private.
Scope	does: place each item in one class; count noise per channel without keeping it; send an item that looks legal or regulatory to the Records Officer position at once; mark correspondence with counsel as by reference only, Strictly confidential; does not: read a private item; decide that an item is not legal; decide anything about the item's content
Inputs	draft entries
Outputs	classified entries; noise counts; items sent to the Records Officer
Limits	class F is never captured, and an item offered from it is refused and nothing of it kept; no model call on correspondence with counsel; a model is called only for an ambiguous item, within the budget, on an engine cleared for the item's confidentiality level (Standard §4.4, item 11)
Sources	Protocol §22, items 2 and 14; Standard §3.1, item 13
Status	draft
Done when	TEST-OER v1, cases 2, 20, 21 and 39 pass

Process (SOP)

Field	Content
Trigger	a draft entry
Steps	1. **Capture Clerk**: apply the class rules of Annex A by code → class by rule, or ambiguous. 2. **Classifier**: for an ambiguous item, place it in one class, with its reason → class with reason. 3. **Classifier**: if the item looks legal or regulatory, send it to the Records Officer position through its HU port at once → referral.
States	drafted → classified (A to D) / counted (E) / refused (F)
Failure and recovery	an item the Classifier cannot place is held unclassified and shown to the Lead, never guessed
Records	the class and its reason on the entry; noise counts per channel and day
Cadence	on each entry
Measures	ambiguous items; referrals to the Records Officer; noise per channel

Role card

Field	Content
Name	Classifier
Position and seat	Classifier; accountable seat: the Operations Event Register Lead
Performed by	an agent ([ORG]CELL-OERC)
Purpose	place an ambiguous item in its class, with its reason
Authority limits	alone: classify an ambiguous item; refer an item that looks legal; never: classify an item as not legal, read a private item, call a model on correspondence with counsel
Write location	the class and reason fields of the entry
Reports to	the Chief of Staff
Escalation	through the Chief of Staff; a legal-looking item straight to the Records Officer position
Tools and access	the draft entry and its metadata; model routes through the shared AI gateway
Deputy and cover	none; the item is held unclassified and shown
Fixed test and score	TEST-OER-OERC v1
Card version and status	v0.1.0 · draft

Fixed test

TEST-OER-OERC v1 (TEST-OER v1, cases 2, 20, 21, 39) · result NOT_RUN

5.3 Numbering and Chain Definition

Field	Content
Name	Numbering and Chain
What it is	Each classified entry takes its readable number from the organisation's one numbering service (Protocol §14, item 4), in a stream per entity and direction: <entity>-<IN|OUT|INT>-<yyyy>-<seq>. Its event_id is also its idempotency key. Its entry_hash covers its fields and the prev_hash of the entry before it.
Purpose	Give every crossing one number that never repeats or skips, and make the register tamper-evident.
Scope	does: take numbers; take a leased block for use when the service is unreachable; chain; mark late with its lag; record a correction as a new event; does not: mint its own number; change or delete a past entry
Inputs	classified entries; a registration request from the gateway (register first)
Outputs	numbered, chained entries
Limits	for register first, the number is issued before the gateway releases the item; the register never holds an item back, and an entry incomplete in form is completed later and flagged late (Protocol §22, item 5)
Sources	Protocol §14, items 1, 4 and 5; §22, items 3, 5 and 6
Status	draft
Done when	TEST-OER v1, cases 3 and 22 pass

Process (SOP)

Field	Content
Trigger	a classified entry; a registration request
Steps	1. **Capture Clerk**: take the next number of the stream from the numbering service, or from the leased block when the service is unreachable → number. 2. **Capture Clerk**: compute entry_hash over the fields and prev_hash; write the entry → entry (event store). 3. **Capture Clerk**: for an event that occurred before it was registered, set late and its lag → late flag.
States	classified → numbered → chained
Failure and recovery	a duplicate event_id returns the existing entry; a write on a stale revision becomes a question to its author (Protocol §14, item 1)
Records	the event store
Cadence	on each entry
Measures	share registered late; median lag (M6)

Role card

Performed by the Capture Clerk ([ORG]CELL-OERCC, §5.1), as code steps.

Fixed test

TEST-OER-OERCC v1 (TEST-OER v1, cases 3, 22) · result NOT_RUN

5.4 Linking Definition

Field	Content
Name	Linking
What it is	Each entry is linked to what it belongs to: its thread (in_reply_to, answers), the Work Item it carries or answers, the decision or signature it rests on, the release it belongs to, and the sources it cites, by version.
Purpose	Make every act traceable to why it happened and what it answered.
Scope	does: link by reference; mark an entry whose reference does not resolve as a finding; mark an act that cited a source later superseded, on a notice from Source Lifecycle; does not: open, edit or close a Work Item or a source
Inputs	entries; notices from Source Lifecycle
Outputs	links on the entry; findings
Limits	links are references only; a missing link is shown, never invented
Sources	Protocol §8; §22, item 3; §13, item 9 (notices)
Status	draft
Done when	TEST-OER v1, case 23 passes

Process (SOP)

Field	Content
Trigger	a new entry; a notice from Source Lifecycle
Steps	1. **Thread Linker**: resolve the entry's references (thread, Work Item, decision, signature, release, source) → links. 2. **Thread Linker**: an unresolvable reference is a finding on the entry → finding. 3. **Thread Linker**: on a notice of supersession, mark the entries that cited the superseded version after it was superseded → marked entries.
States	unlinked → linked / linked with findings
Failure and recovery	a reference that cannot be checked is left unlinked and counted, never guessed
Records	the links and findings on the entry
Cadence	on each entry and each notice
Measures	M2 (linked / orphans)

Role card

Field	Content
Name	Thread Linker
Position and seat	Thread Linker; accountable seat: the Operations Event Register Lead
Performed by	an agent ([ORG]CELL-OERTL)
Purpose	link every entry to its thread and to what it rests on
Authority limits	alone: link and mark; never: change a Work Item, a decision or a source
Write location	the link fields of the entry
Reports to	the Chief of Staff
Escalation	through the Chief of Staff
Tools and access	the register, the shared queue and Source Lifecycle's references, read only
Deputy and cover	none; the entry stays unlinked and is counted
Fixed test and score	TEST-OER-OERTL v1
Card version and status	v0.1.0 · draft

Fixed test

TEST-OER-OERTL v1 (TEST-OER v1, case 23) · result NOT_RUN

5.5 Follow-up Definition

Field	Content
Name	Follow-up
What it is	An entry that asks for an answer, such as an incoming letter or a request, is open until it ends. Its due date comes from the process design or from the rule the organisation set for the surface. The Follow-up Clerk keeps its state as events: open, acknowledged, answered, overdue, closed or voided, each closure with its reason.
Purpose	So that nothing the organisation owes is forgotten, and an overdue reply is seen at its deadline, not when the other party chases.
Scope	does: set the due state; send a notice to the owning position before and at the due date; show overdue entries to the watchdog; does not: chase, give an order, escalate in its own name, or close an entry
Inputs	open entries; the due rules
Outputs	due states; notices to the owning position
Limits	nothing closes by silence; a closure comes only from the owning position, or from the answer's own entry, with a reason from the closed list; the watchdog chases (Protocol §4.6, item 5)
Sources	Protocol §22, item 9; §4.6, item 5
Status	draft
Done when	TEST-OER v1, cases 9, 24 and 25 pass

Process (SOP)

Field	Content
Trigger	an open entry; the due rule's time
Steps	1. **Follow-up Clerk**: set the due date from the rule → due state. 2. **Follow-up Clerk**: send the owning position a notice before and at the due date, through its HU port → notice. 3. **Follow-up Clerk**: on the answer's entry, or on the position's closure with its reason, end it → closed.
States	open → acknowledged → answered / overdue → closed (answered, no answer needed, superseded, withdrawn by the sender) / voided (registered in error, with its reason)
Failure and recovery	an entry with no due rule is shown as no rule, never given one
Records	the state events of each entry
Cadence	on each entry; due checks hourly
Measures	M4 (answered on time / overdue, median age); M7 (closed by silence)

Role card

Field	Content
Name	Follow-up Clerk
Position and seat	Follow-up Clerk; accountable seat: the Operations Event Register Lead
Performed by	an agent ([ORG]CELL-OERFC)
Purpose	keep the due state of every open entry, and tell its owning position
Authority limits	alone: set the due state, send notices; never: give an order, close an entry, chase in its own name
Write location	the state events of the entry
Reports to	the Chief of Staff
Escalation	through the Chief of Staff; overdue entries are shown to the watchdog
Tools and access	the register; the due rules; the positions' HU ports, through the tool gateway
Deputy and cover	none; the due state is not refreshed, and the Panel says so
Fixed test and score	TEST-OER-OERFC v1
Card version and status	v0.1.0 · draft

Fixed test

TEST-OER-OERFC v1 (TEST-OER v1, cases 9, 24, 25) · result NOT_RUN

5.6 Inbox, Outbox and Projections

Definition

Field	Content
Name	Inbox, Outbox and Projections
What it is	Every unit and position has an inbox and an outbox: Panel views of the entries at its ports, with what is open and what is due. Two further projections are built from the same events. The handover list holds a position's open entries and commitments, built on request of that position or of the HOAC above it. The return brief holds what arrived for a position while it was away, and what is due. Both are built only on request, and the register never knows who occupies a position.
Purpose	Let every part see its own traffic, and let a position be taken over without losing anything.
Scope	does: build each projection from the events, with the version of the logic that built it; show each position only its own open items; does not: show a measure of a human position; show anyone's activity; hold a copy (Protocol §14, item 2)
Inputs	the events
Outputs	inbox and outbox per unit and position; handover lists; return briefs
Limits	an address is an entity, a unit or a position, never a natural person; a personal mailbox's item appears only when its position filed it
Sources	Protocol §22, item 8; §14, item 2; §4.10, item 17 (handover)
Status	draft
Done when	TEST-OER v1, cases 8, 26 and 27 pass

Process (SOP)

Field	Content
Trigger	a new event; a request from the Panel; a request for a position's handover list, from that position or from the Cell carrying [ORG]HOAC-TM; a position's request for its return brief
Steps	1. **Projection Builder**: rebuild the affected projections → projection (with its logic version). 2. **Projection Builder**: on request, build the position's handover list: its open entries and commitments. It reads nothing about who holds a position (Protocol §22, item 12) → handover list. 3. **Projection Builder**: when a position asks, build its return brief → return brief.
States	current / rebuilding
Failure and recovery	a projection that fails its rebuild check shows its last good rebuild time and is a finding (§5.10)
Records	none of their own; projections are rebuilt
Cadence	on each event
Measures	rebuild differences (should be zero)

Role card

Field	Content
Name	Projection Builder
Position and seat	Projection Builder; accountable seat: the Operations Event Register Lead
Performed by	an agent ([ORG]CELL-OERPB)
Purpose	build every view and pack from the events, and nothing that is not in them
Authority limits	alone: build projections and packs within the asking position's scope; never: build a figure, list or history about one human position's acts
Write location	the projections (rebuilt, never a source)
Reports to	the Chief of Staff
Escalation	through the Chief of Staff
Tools and access	the register, read only
Deputy and cover	none; the projection shows its last rebuild time
Fixed test and score	TEST-OER-OERPB v1
Card version and status	v0.1.0 · draft

Fixed test

TEST-OER-OERPB v1 (TEST-OER v1, cases 8, 12, 26, 27, 33, 34) · result NOT_RUN

5.7 Coverage Feedback Definition

Field	Content
Name	Coverage Feedback
What it is	For each entity, unit, process and AI Cell, and each period, the Coverage Analyst computes the measures M1 to M8 (Annex C): what it had and what it lacked.
Purpose	Tell each part, honestly and without blame, what the system gave it and what it failed to give it, so that the gaps can be closed.
Scope	does: compute M1 to M8 from the events; show each against an absolute bar the organisation set; roll up to the parent unit any figure, for a unit, a process or a role-type, drawn from the acts of fewer human positions than the minimum group size; give the projection of the work by role-type and process for the design stages (§5.8); does not: rank or compare; give a figure for one human position; give a figure to appraisal, pay, discipline or promotion; add a measure not on the fixed list of Annex C
Inputs	the events
Outputs	coverage feedback; the activity projection
Limits	diagnostic only (Standard §2.4, item 7); every figure carries its logic version and traces to its events (Protocol §14, items 2 and 5)
Sources	Protocol §22, items 7 and 10; Standard §3.1, item 13
Status	draft
Done when	TEST-OER v1, cases 7, 10, 28 and 29 pass

Process (SOP)

Field	Content
Trigger	the end of a period; a request from a unit's seat or the Cell carrying [ORG]HOAC-TM
Steps	1. **Coverage Analyst**: compute M1 to M8 per entity, unit, process and AI Cell → feedback (with logic version). 2. **Coverage Analyst**: apply the minimum group size; roll up what falls below it → rolled-up figures. 3. **Coverage Analyst**: build the period's projection of the work by role-type and process → activity projection.
States	computed → shown
Failure and recovery	a measure with no census or no rule reads no census or no rule, never an estimate
Records	each figure with its logic version and its trace
Cadence	weekly and monthly; on request
Measures	—

Role card

Field	Content
Name	Coverage Analyst
Position and seat	Coverage Analyst; accountable seat: the Operations Event Register Lead
Performed by	an agent ([ORG]CELL-OERCA)
Purpose	compute what each part had and what it lacked, and the projection of the work
Authority limits	alone: compute M1 to M8 and the projection; raise gap signals; never: rank, compare, or compute a figure for one human position
Write location	the feedback projections
Reports to	the Chief of Staff
Escalation	through the Chief of Staff
Tools and access	the register, read only
Deputy and cover	none; the feedback is not refreshed, and says so
Fixed test and score	TEST-OER-OERCA v1
Card version and status	v0.1.0 · draft

Fixed test

TEST-OER-OERCA v1 (TEST-OER v1, cases 7, 10, 28, 29, 31, 32) · result NOT_RUN

5.8 Feeds to Source Lifecycle Definition

Field	Content
Name	Feeds to Source Lifecycle
What it is	Three things go from the register into Source Lifecycle, through its Input socket, under this AIOC's write scope (origin kinds correspondence and export). The first is **correspondence**: an entry a position asks to keep, filed as a source of origin kind correspondence, class EVIDENCE, fixed as received, with the entry's content hash, on behalf of that position. The second is the **activity export**: the period's projection of the work by role-type and process, with its as_of date, filed as an export only after the HF-17 decision on it is recorded. The third is **gap signals**: one signal per act done without a source, by reference to the entry.
Purpose	Let Source Lifecycle keep what the organisation did beside what it knows, and give the design stages the activity profile they wait for.
Scope	does: file, export and signal by reference; does not: file anything a position did not ask to keep; export anything that says who did the work; send content in a gap signal
Inputs	file requests; the activity projection; acts with no source
Outputs	correspondence filings; activity exports; gap signals; Source Lifecycle's receipts
Limits	an export with any person field is refused at this socket and at Source Lifecycle's; correspondence is never served as the organisation's own statement
Sources	Protocol §22, item 11; §13, items 11 and 12; Standard §3.1, items 13 and 14
Status	draft
Done when	TEST-OER v1, cases 11, 30, 31 and 32 pass

Process (SOP)

Field	Content
Trigger	a file request; the end of a period; an act with no source
Steps	1. **Chief of Staff**: file the entry asked for as correspondence, on behalf of the asking position → filing and Source Lifecycle's receipt (equal hash). 2. **Coverage Analyst**: when the HF-17 decision on the period's export is recorded, file the projection as an export → export and receipt. 3. **Coverage Analyst**: for each act with no source, send a gap signal → gap signal.
States	asked → filed / refused; projection ready → waiting for HF-17 → filed
Failure and recovery	with Source Lifecycle absent or stopped, feeds wait and are shown as waiting; nothing is lost
Records	the filing, export and signal events, with Source Lifecycle's receipts
Cadence	on request; per period
Measures	feeds waiting; M5 (done with a source)

Role card

Performed by the Chief of Staff ([ORG]CELL-COSOER, §4.2) for filings, and by the Coverage Analyst ([ORG]CELL-OERCA, §5.7) for exports and gap signals.

Fixed test

TEST-OER-COSOER v1 and TEST-OER-OERCA v1 (TEST-OER v1, cases 11, 30, 31, 32) · result NOT_RUN

5.9 Evidence and Case Packs

Definition

Field	Content
Name	Evidence and Case Packs
What it is	An **evidence pack** answers a question such as "what did we send them, and when?" or "show the record of this matter". It holds the entries, their homes and their hashes, and each content hash is verified by re-hashing the home where it is readable. A **case pack** holds pseudonymised past cases of one process, replayable. Cases for shadow runs, a shadow test of an AI filler, or the evidence for a decision to move work toward AI go to Self-Improvement once its access includes the register. Cases for a golden set go only to the human seat that chooses it and to the assurance unit, never to the loop (Standard §2.3, items 4, 7 and 9; §2.4, item 4).
Purpose	Prove what happened, quickly; and let the organisation test and improve its work on real cases.
Scope	does: build packs within the asking position's scope; report a mismatch as a finding; does not: repair a home; build a pack about one human position's acts; build a case pack without a Work Item of the Cell carrying [ORG]HOAC-TM
Inputs	evidence requests; case-pack Work Items
Outputs	evidence packs; case packs
Limits	a case pack holds no person's particulars, and is used only under its Work Item (Standard §2.3, item 4; move-work-toward-ai stays a human decision)
Sources	Protocol §22, item 12; Standard §2.1, item 7; §2.3, item 4
Status	draft
Done when	TEST-OER v1, cases 12, 33 and 34 pass

Process (SOP)

Field	Content
Trigger	an evidence request; a case-pack Work Item
Steps	1. **Projection Builder**: select the entries within scope → selection. 2. **Projection Builder**: re-hash each readable home and compare → verified pack, or finding. 3. **Chief of Staff**: return the pack to the asking position → evidence pack or case pack.
States	asked → built → returned
Failure and recovery	an unreadable home is listed as unverified, never as verified
Records	the pack's manifest and its verification
Cadence	on request
Measures	packs built; mismatches found

Role card

Performed by the Projection Builder ([ORG]CELL-OERPB, §5.6), returned by the Chief of Staff.

Fixed test

TEST-OER-OERPB v1 (TEST-OER v1, cases 12, 33, 34) · result NOT_RUN

5.10 Integrity Definition

Field	Content
Name	Integrity
What it is	Every day the Integrity Checker proves that the register is whole. No number stream has a gap or a duplicate, and the hash chain verifies. Each surface's census matches what was registered, or the difference is listed. Every projection equals a rebuild from the events. Every gateway log segment has its root hash anchored in the register.
Purpose	Make the register trustworthy as evidence, for the organisation and for its internal-audit line.
Scope	does: run the daily checks; open a finding for each failure; report to the Lead and to the internal-audit line; does not: repair the register, change a past entry, block work
Inputs	the register; the census readings; the gateway log's segment roots
Outputs	integrity findings
Limits	a finding flags, never blocks (Protocol §14, item 5); no Cell of this AIOC can change or delete a past entry; the internal-audit line reads the register directly, read only; Self-Improvement reads it once [ORG]HOAC-TM adds it to the process's access, never its entries of the accountability path (Standard §2.1, items 7 and 8)
Sources	Protocol §14, item 5; §22, item 13; Standard §2.1, item 7; HF-18, HF-19
Status	draft
Done when	TEST-OER v1, cases 13, 35 and 36 pass

Process (SOP)

Field	Content
Trigger	the daily run
Steps	1. **Integrity Checker**: check each number stream and the chain → result. 2. **Integrity Checker**: compare each census → result. 3. **Integrity Checker**: rebuild each projection and compare → result. 4. **Integrity Checker**: check each gateway log segment's anchor → result. 5. **Integrity Checker**: report each failure to the Lead and to the internal-audit line → integrity finding.
States	ok / finding / unknown (never shown as ok)
Failure and recovery	a check that cannot run reads unknown, and is a finding
Records	the daily results, in the register
Cadence	daily
Measures	findings open; days since the last clean run

Role card

Field	Content
Name	Integrity Checker
Position and seat	Integrity Checker; accountable seat: the Operations Event Register Lead
Performed by	an agent ([ORG]CELL-OERIC)
Purpose	prove every day that the register is whole
Authority limits	alone: run the checks and report; never: repair, change or delete an entry, or block work
Write location	the daily results
Reports to	the Operations Event Register Lead, not the Chief of Staff
Escalation	to the Lead; a finding is also sent to the internal-audit line
Tools and access	the register, the census readings and the gateway's segment roots, read only
Deputy and cover	none; the check shows unknown, never pass
Fixed test and score	TEST-OER-OERIC v1
Card version and status	v0.1.0 · draft

Fixed test

TEST-OER-OERIC v1 (TEST-OER v1, cases 3, 13, 19, 22, 35, 36) · result NOT_RUN

5.11 Surface Connection Definition

Field	Content
Name	Surface Connection
What it is	A surface, an entity or a class of act is added only through the sequence of Annex F: scope, impact assessment and lawful basis, labour-law steps, notices, the arrangement between entities, the signed port, and an observed-only pilot with its negative tests.
Purpose	Connect as much of the live operation as the organisation decides, each step lawful and decided by the human position that holds it.
Scope	does: prepare each request; check that each prior decision is recorded; run the pilot and its negative tests; record the connection; does not: take any of the decisions; connect a surface whose decisions are not recorded
Inputs	surface connection requests
Outputs	a decision request to the Lead; a connected surface; a pilot report
Limits	the Lead signs connect-external-port, and a wider scope is grant-or-widen-access; revocation by the Lead or any position above it takes effect at the gateway first and is never held; every surface has its own token, held only in the platform's secret store or behind the gateway
Sources	Protocol §22, item 14; §13, item 5 (the same connection rules); Standard §4.4, item 7
Status	draft
Done when	TEST-OER v1, cases 14, 37, 38 and 40 pass

Process (SOP)


Field	Content
Trigger	a surface connection request
Steps	1. **Chief of Staff**: check that every prior decision of Annex F is recorded, or return the request naming what is missing → checked request. 2. **Operations Event Register Lead**: sign or refuse at the tool gateway → signed port (unit register event). 3. **Chief of Staff**: run the observed-only pilot and its negative tests → pilot report. 4. **Lead**: switch the surface to running, or revoke → event.
States	requested → waiting for decisions → signed → pilot → running / revoked
Failure and recovery	a negative test that fails stops the pilot and goes to the Lead
Records	the unit register (connections, scope changes, revocations); the pilot report
Cadence	on request
Measures	surfaces connected; surfaces waiting for decisions

Role card

Performed by the Chief of Staff ([ORG]CELL-COSOER, §4.2); the signature is the Lead's.

Fixed test

TEST-OER-OERL v1 and TEST-OER-COSOER v1 (TEST-OER v1, cases 14, 37, 38, 40) · result NOT_RUN



Section 06

Coordination and routes

- **With every unit of the [ORG]AION.** Its inbox and outbox are views of its ports. Where the register is installed, a port that carries formal acts in scope names it in its audit_trail (Protocol §22, item 8). Units do nothing extra for the register: the formal acts in scope that they send and receive through the gateway and the connected surfaces are recorded, and a human position's other passages through its HU ports are not.
- **With Source Lifecycle.** Through the 49GAION Operating Protocol only, within the scope Source Lifecycle grants this AIOC: it writes origin kinds correspondence and export, and reads references only of the sources its entries cite (Protocol §13, item 12). Gap signals go through its Input socket (§5.8). Notices from Source Lifecycle come back by reference, for every version an entry cites.
- **With the tool gateway.** Read only, for hand-offs and segment roots. For register first, the gateway asks the numbering service for a number before it releases a formal outgoing item, and the register records that event. The register never gates.
- **With the watchdog.** It shows the watchdog what is due and overdue; the watchdog chases.
- **With [ORG]AIOC-OCO.** Install, fixes, upgrades, the Panel, and every blueprint change, as design-proposal Work Items (template §6).
- **Routing rows this AIOC contributes:** file request → [ORG]AIOC-OER; evidence pack request → [ORG]AIOC-OER; surface connection request → [ORG]AIOC-OER; correspondence filing, activity export, gap signal → [ORG]AIOC-SL.
- **Requests and objections.** Every proposal, correction or critique is a design-proposal Work Item to OCO. Where they disagree, the Lead may hold the objection open until it reaches the position accountable for OCO, which decides.



Section 07

Records and where things live

Record	Home	Source rule
This blueprint, its decisions, its tests and its cards	the instance's writing repository <org>aioc-oer; the mother in github.com/49g-holding/49GAION-operations-event-register	one home for each thing
The adapters, the store and the projections (code)	the code project <org>aioc-oer	one home
The register: entries, state events, census readings, daily results	the runtime's own append-only store, in each entity's universe; never in a repository, and never in the 49GAION Library	one home per entity
The content of what is recorded	its own home: the mail system, the dispatch record, the platform, the code host, the task tracker, the knowledge base, the team chat, the shared queue, the gateway log	never copied into the register
Outside parties' particulars	the restricted partition, by ID, under keyed hashes (Protocol §14, item 6)	never in an entry, a projection or a search index
Correspondence a position asked to keep	Source Lifecycle, as a source of origin kind correspondence	one home
Connections, scope changes and revocations	the unit register, append-only	one home
The link between positions and the natural persons who hold them	not in this AIOC: the organisation's own mechanism, outside the system (Standard §1.1, item 9)	never here
Secrets	the organisation's vault only	never written



Section 08

Tools and the shared AI gateway

Surfaces are named by role. Their product names appear only in an organisation's own copy (Protocol §10, item 5).

Tool	Existing shared tool, or new	If new: asked of the builder as
The register's append-only store, with its hash chain	new	an append-only event store per entity, with prev_hash and entry_hash
The numbering service	existing (Protocol §14, item 4)	streams per entity and direction; leased blocks
Surface adapters	new, one per surface type (Annex D)	push where the surface pushes; fetch by reference and hash where it only signals
The restricted partition and its keyed hashes	existing (Protocol §14, item 6)	—
Register first at the gateway	new, a gateway policy	under change-gateway-policy
Model routes (Classifier only)	through the shared AI gateway	—

All model calls go through the shared AI gateway in the [ORG]AION (Standard §4.4, item 11). This AIOC's AI use and cost are metered separately; its budget cap is set in §15.

Tool role	Connector	Access managed in	Part card version
mail system (functional mailboxes)	surface adapter	Panel (grant signed at the gateway)	v1
letters	surface adapter	Panel (grant signed at the gateway)	v1
the organisation's own social accounts	surface adapter, one per platform	Panel (grant signed at the gateway)	v1
code hosts	surface adapter, one per host	Panel (grant signed at the gateway)	v1

Tool role	Connector	Access managed in	Part card version
task tracker	surface adapter	Panel (grant signed at the gateway)	v1
knowledge base	surface adapter	Panel (grant signed at the gateway)	v1
team chat (formal channels only)	surface adapter	Panel (grant signed at the gateway)	v1
calendars of decision bodies	surface adapter	Panel (grant signed at the gateway)	v1

Mechanism register. Nothing is built yet. A row is never deleted.

ID	Mechanism	What it does	Where it lives	Today	Target
M-01	Append-only store with hash chain	holds the entries	code project	decided, not built	build
M-02	Numbering streams and leased blocks	one number per crossing	the shared numbering service	decided, not built	build
M-03	Surface adapters	capture by reference and hash	code project	decided, not built	build, one surface at a time (Annex F)
M-04	Person-field removal at the Input socket	no person's particulars in any entry	code project	decided, not built	build before the first surface
M-05	Register first at the gateway	a number before release	the tool gateway	decided, not built	build after the first pilot
M-06	Projections: inbox, outbox, handover list, return brief	views per unit and position	code project	decided, not built	build
M-07	Coverage feedback M1 to M8	what each part had and lacked	code project	decided, not built	build

ID	Mechanism	What it does	Where it lives	Today	Target
M-08	Feeds to Source Lifecycle	correspondence, export, gap signal	code project	decided, not built	build after Source Lifecycle adopts the origin kind
M-09	Daily integrity checks	gaps, census, rebuild, anchors	code project	decided, not built	build with M-01

Reserve.

ID	Idea	Why held	Reconsider when
R-01	Record the content of AI payloads, not only their hashes	the gateway log holds only payload hashes (Standard §4.4, item 11); keeping payloads would change that text and is change-gateway-policy	the governing seat of 49GAION changes §4.4, item 11
R-02	Record more of human work than formal acts	it would watch work, which DR-0023 forbids, and needs a new DR, a new impact assessment and consultation	the governing seat of 49GAION decides a new DR
R-03	Analysis of who talks to whom among human positions	a picture of persons, never of the work	never, unless the governing seat of 49GAION decides otherwise



Section 09

Fixed tests: index, triggers and scores

The cases are written in tests/TEST-OER.md:

- Cases 1 to 16 are the Library's TEST-OPERATIONS-EVENT-REGISTER v1, cases 1 to 16, unchanged.
- Cases 17 to 40 test the capabilities.
- Cases 41 to 50 test this AIOC's form.
- Cases 51 to 60 test the converters of the Input socket, one each.

Capability	Test ID and version	Evidence level	Last run	Result
Office	TEST-OER-COSOER v1 (case 45)	MEASURED	—	NOT_RUN
Chief of Staff	TEST-OER-COSOER v1	MEASURED	—	NOT_RUN
Input socket	TEST-OER v1, cases 2, 4, 17, 47, 51 to 60	MEASURED	—	NOT_RUN
Panel	default; TEST-OER v1, case 46	MEASURED	—	NOT_RUN
Capture	TEST-OER-OERCC v1	MEASURED	—	NOT_RUN
Classification	TEST-OER-OERC v1	MEASURED	—	NOT_RUN
Numbering and Chain	TEST-OER-OERCC v1 (cases 3, 22)	MEASURED	—	NOT_RUN
Linking	TEST-OER-OERTL v1	MEASURED	—	NOT_RUN
Follow-up	TEST-OER-OERFC v1	MEASURED	—	NOT_RUN
Inbox, Outbox and Projections	TEST-OER-OERPB v1	MEASURED	—	NOT_RUN
Coverage Feedback	TEST-OER-OERCA v1	MEASURED	—	NOT_RUN
Feeds to Source Lifecycle	TEST-OER v1, cases 11, 30, 31, 32	MEASURED	—	NOT_RUN
Evidence and Case Packs	TEST-OER-OERPB v1 (cases 12, 33, 34)	MEASURED	—	NOT_RUN
Integrity	TEST-OER-OERIC v1	MEASURED	—	NOT_RUN

Capability	Test ID and version	Evidence level	Last run	Result
Surface Connection	TEST-OER-OERL v1; TEST-OER v1, cases 14, 37, 38, 40	MEASURED	—	NOT_RUN
Type (Foundational)	TEST-OER v1, case 8	MEASURED	—	NOT_RUN

- **Re-run triggers:** any change to a model, instructions, this AIOC's card, this blueprint, an adapter, the measures or the 49GAION Operating Protocol re-runs the affected tests; also any change to tools or access, a converter, the formal scope or a shared panel part.
- **The Library's cases.** Cases 1 to 16 are the Library's TEST-OPERATIONS-EVENT-REGISTER v1, unchanged; a Library case with no case here fails the joining test (template §9).
- **Complete** only when every capability's test has a visible result. NOT_RUN is never PASS.

Checks that are not fixed tests.

Check	Placement	Budget per item	Degradation order	Blocks only for
Daily integrity checks (§5.10)	after completion	one run per day	none; a failure opens a finding	nothing; it flags
Person-field check on every event	in the Input socket	each event	none	the event

Check	Placement	Budget per item	Degradation order	Blocks only for
Single-human-position query check: no request returns a figure, list or history of one human position's acts	router	each request	none	the request
Secret scan of entries and logs	after completion	each batch	none	the batch
No-content check: no entry field holds content beyond references and hashes	after completion	daily	none; a failure opens a finding	nothing; it flags

- **Discriminating evidence.** A passing check counts only if it has been shown able to fail on the case it guards, and evidence is written by the runner, never by the worker.



Section 10

Build: what is generated from this file

Built thing	Generated from	Recorded where
Panel profile	§0, §1, §3, §4.4, §5 role cards	the panel profile and the Panel's release record name this file's commit
Back office	§4.2 role card and SOP (instruction); §4 to §5 definitions and SOPs (knowledge)	the back office records the commit it was built from
Card in the protocol AIOC's map	§1	the protocol AIOC's register links this file
Cards of the Pods and Cells, and the bot identity cards	§17	cards/, by tools/make_cards.py
Panel Health section	§9 results; stuck, returned and late Work Items; the integrity findings	the Panel

Delivery path: definition change → tests → Panel and Back office update → one-click rollback to the previous commit.



Section 11

Exceptions

1. **The Integrity Checker reports to the Lead,** not to the Chief of Staff (§3), so that the part that runs the register does not direct the part that checks it.
2. **The Panel shows every unit its own inbox and outbox,** a view the template does not list. Its rules are those of the Panel; a human position sees only its own open items (§4.4).
3. **Human positions elsewhere in the organisation hold roles of this AIOC:** the Records Officer, the position that holds data protection and the internal-audit line (§2.1, §15). They are not Cells of this AIOC.



Section 12

Lessons and proposals to the mother

One dated line per lesson, each written without any organisation's details. The drafts are in upstream/PROPOSALS.md; nothing is proposed upstream without the word of the governing seat of 49GAION.

1. 2026-10-17 · Most work surfaces carry the acting person's identity in their event payloads. The Input socket must remove every person field before any write. Test question added: case 4. Proposed to the mother as a draft: a negative test in Protocol §5 for every adapter.
2. 2026-10-17 · Some surfaces send only a signal, so the content must be fetched and hashed, and a hash of a mutable object is a snapshot. Test question added: case 18. Proposed to the mother as a draft: the capture modes and as_of in Protocol §14.
3. 2026-10-17 · Standard §1.1, item 10 lets the AI side measure per position, while DR-0023 keeps records of the work by role-type and process, never about a person, and Delivery and Implementation shows no measure for a single position (§3.1, item 5). For this part, DR-0027 reads a measure of a human position as the live state of its own open items. Proposed to the mother as a draft: a general reading note for every part.



Section 13

For the [ORG]HOAC-ACS seat, and every decision only a human seat can take

Money, people and legal matters are marked.

ID	Decision	Who decides	Effect while open
H-01	**The positions, and the organisation's own mechanism.** Set the positions of §15 (Records Officer, data protection, internal-audit line). Who holds them and the Lead position ([ORG]CELL-OERL), and how, is decided outside the system (49GAION/DR-0048, DR-0049); nothing of it enters this blueprint	the Cell carrying [ORG]HOAC-TM, for the positions	the position is empty: the Chief of Staff only advises; no surface can be signed
H-02	**The formal scope**: which surfaces, entities and classes of act are formal, the stated purpose, and whether registering is compulsory (Annex A)	the Cell carrying [ORG]HOAC-TM	no surface can be requested
H-03	**Legal; people.** For each surface and entity: the impact assessment, the lawful basis (never staff consent), the staff notice, consultation or co-determination where it exists, and the privacy notices for outside parties (Annex F)	the position that holds data protection (HF-17), with the legal position	the surface is not connected
H-04	**Legal.** Between entities: the intra-group arrangement and, where needed, a lawful transfer mechanism; information barriers between regulated entities	the Cell carrying [ORG]HOAC-GOV	no crossing between entities is read across

Operations Event Register

ID	Decision	Who decides	Effect while open
H-05	**Legal.** The retention schedule per entity and class; legal hold; handling of correspondence with counsel	the Cell carrying [ORG]HOAC-GOV (HF-01), with the legal position	raw entries are kept, and nothing is disposed
H-06	Register first at the gateway, and the classes it covers	the Cells carrying [ORG]HOAC-TM and [ORG]HOAC-GOV (change-gateway-policy)	the register observes only, and blocks nothing
H-07	Each surface's connection, and each widening	the Lead (connect-external-port; grant-or-widen-access)	the surface is not connected
H-08	The minimum group size for role-type figures, and the absolute bars of M1 to M8	the Cell carrying [ORG]HOAC-TM	the default size 3; measures shown without a bar
H-09	**People.** Each outside counterparty has a human owning position (HF-13)	the Cell carrying [ORG]HOAC-TM	entries with that party have no owner, and are shown
H-10	Approve this blueprint v0.1.3 as the design of [ORG]AIOC-OER	the human hub	it stays a draft; nothing is installed
H-11	**Disposal** of entries or data at the end of their term	the position that signs dispose-records-or-data (HF-06)	nothing is disposed



Section 14

Change log

Operations Event Register

Blueprint version	Date	Change	Template version	Commit
v0.1.0	2026-10-17	First mother blueprint of [ORG]AIOC-OER on the template, from the Library part 49GAION Operations Event Register v1 and Protocol §22 (49GAION/DR-0027): eleven functional capabilities; nine Cells, six in three Pods and three directly under the AIOC; one HOAC position; acts, not activity; TEST-OER v1, 60 cases, with the Library's TEST-OPERATIONS-EVENT-REGISTER v1 kept	v1.5.0 at 1abae80	this repository, pull request #1
v0.1.1	2026-10-19	The Chief of Staff takes its COS code: [ORG]CELL-OERCS → [ORG]CELL-COSOER (Naming Standard R16, 49GAION/DR-0028; decisions/DR-0002). The old code is retired and kept in the card's lineage; the part test is renamed; nothing else changes	v1.5.0 at 1abae80	this repository's pull request for this version
v0.1.2	2026-10-29	Released on the governing seat's word (decisions/DR-0005): it carries the records since v0.1.1, decisions/DR-0003, decisions/DR-0004; positions only (49GAION/DR-0048, DR-0049). Every card takes v0.1.2; the Protocol pin moves to the Operating Protocol v2.1.0. No other rule changes.		
v0.1.3	2026-10-29	Corrections under 49GAION/DR-0052 (decisions/DR-0006): the gateway runs as code beside the core, outside the reach of every AI. Every card takes v0.1.3. The Protocol pin moves to the Operating Protocol v2.2.0. No rule of this part is added or dropped.		



Section 15

Configuration

Every slot is filled by the organisation. An AIOC with any empty slot does not pass the joining test (Protocol §11). Each value records who set it, when, and in which version.


Slot	Value	Default offered by 49GAION	Set by	Date	Version	Replaces
HOAC seat accountable for OCO	<to be set>	none: must be set				
OCO of this [ORG]AION	<code of [ORG]AIOC-OCO>	none: must be set				
Discussion limits	<to be set>	none: must be set				
Waiting deadlines (per status), with reminder and escalation	<to be set>	none: must be set				
Bounce limit	<to be set>	none: must be set				
Chain depth	<to be set; at least 1>	none: must be set				
Halt-request priority	immediate	immediate				
Budget cap	<to be set>	none: must be set				
Unattended action	read-record-triage	read-record-triage				
Process record defaults	<to be set>	none: must be set				
Final authority	the Cell carrying [ORG]HOAC-GOV	none: must be set				
Sensitivity classes and default filler kinds	<to be set>	none: must be set				
Move and return thresholds per Cell, and their window	<to be set>	none: must be set				
Delegation ladder of the Chief of Staff	only prepares, for every class, until the Lead sets otherwise	only prepares, for every class				
Move-on catalogue and stub age cap	default	stub, default, mock, next item; 5 working days				

Operations Event Register

Slot	Value	Default offered by 49GAION	Set by	Date	Version	Replaces
Stuck-item thresholds per status, and the repair menu	<to be set>	none: must be set				
Loop breaker	default	3 runs in 2 hours				
Dispute exit	2 rounds; classes <to be set>	2 rounds; none: classes must be set				
Stale work	<to be set>	none: must be set				
Planned halt	10 minutes; order <to be set>	10 minutes; order must be set				
Signature referral time	default	15 minutes				
Seat load weights and load line	default	as offered				
Spend	80%; classes <to be set>	80%; none: classes must be set				
Capability tiers and engine re-score schedule	<to be set>	none: must be set				
Cadence of each unattended AI Cell	Capture Clerk, Thread Linker, Follow-up Clerk, Projection Builder: on each event; Coverage Analyst: weekly and monthly; Integrity Checker: daily; Classifier: on each ambiguous item	none: must be set				
Duty deputy	none	90 days; 10				
Quiet windows	<to be set>	none: must be set				
Formal scope (Annex A; H-02)	<surfaces, entities, classes, purpose>	none: must be set	the Cell carrying [ORG]HOAC-TM			

Operations Event Register


Slot	Value	Default offered by 49GAION	Set by	Date	Version	Replaces
Minimum group size (H-08)	3	3	the Cell carrying [ORG]HOAC-TM			
Due rules per surface and class	<to be set>; with none, no rule	none	the Cell carrying [ORG]HOAC-TM			
Retention schedule (H-05)	<per entity and class>	none: must be set	the Cell carrying [ORG]HOAC-GOV			
Records Officer position	<position code>	none: must be set	the Cell carrying [ORG]HOAC-TM			
Data protection position (HF-17)	<position code>	none: must be set	the Cell carrying [ORG]HOAC-TM			
Internal-audit line (HF-19)	<position code>	none: must be set	the Cell carrying [ORG]HOAC-GOV			
Register first (H-06)	off	off	the Cells carrying [ORG]HOAC-TM and [ORG]HOAC-GOV			
Leased block size per stream	<to be set>	100	the Lead			



Section 16

Type

- **Type:** Foundational, as in §0.
- **Why this AIOC exists in this organisation:** every unit of <organisation>'s [ORG]AION has its inbox and outbox in it, and every part learns from it what it had and what it lacked.
- **Type-specific test:** TEST-OER v1, case 8 (every unit's inbox and outbox list exactly its entries) · result NOT_RUN.



Section 17

Cells and Pods

The parts inside this AIOC (docs/CELLS-AND-PODS.md of 49GAION-aioc). The role and nature of this AIOC are read from the type of its top Cell, the Operations Event Register Lead. Every field that points to a human takes a position code only (template, Position codes only).

Code	Kind	Type	Filler kind	HOAC label	Parent	Attached to	Fixed test (owner)	External ports
[ORG]CELL-OERL	CELL	Human Seat	human	[ORG]HOAC-ACS	[ORG]AIOC-OER	none	TEST-OER-OERL v1 (the Cell carrying [ORG]HOAC-TM)	none
[ORG]CELL-COSOER	CELL	AI Chief of Staff	ai	none	[ORG]AIOC-OER	none	TEST-OER-COSOER v1 ([ORG]CELL-OERL)	sl-out (filings, exports and gap signals to Source Lifecycle), through the tool gateway
[ORG]CELL-OERIC	CELL	AI Agent	ai	none	[ORG]AIOC-OER	none	TEST-OER-OERIC v1 ([ORG]CELL-OERL)	none
[ORG]POD-OERCR	POD	AI Pod	—	none	[ORG]AIOC-OER	—	TEST-OER-OERCR v1 ([ORG]CELL-OERL)	—
[ORG]CELL-OERCC	CELL	AI Agent	ai	none	[ORG]POD-OERCR	none	TEST-OER-OERCC v1 ([ORG]CELL-OERL)	surface-in (events of the connected surfaces), gateway-log-in (hand-offs and segment roots, read only), through the tool gateway

Code	Kind	Type	Filler kind	HOAC label	Parent	Attached to	Fixed test (owner)	External ports
[ORG]CELL-OERC	CELL	AI Agent	ai	none	[ORG]POD-OERCR	none	TEST-OER-OERC v1 ([ORG]CELL-OERL)	none
[ORG]POD-OERLF	POD	AI Pod	—	none	[ORG]AIOC-OER	—	TEST-OER-OERLF v1 ([ORG]CELL-OERL)	—
[ORG]CELL-OERTL	CELL	AI Agent	ai	none	[ORG]POD-OERLF	none	TEST-OER-OERTL v1 ([ORG]CELL-OERL)	none
[ORG]CELL-OERFC	CELL	AI Agent	ai	none	[ORG]POD-OERLF	none	TEST-OER-OERFC v1 ([ORG]CELL-OERL)	none
[ORG]POD-OERPF	POD	AI Pod	—	none	[ORG]AIOC-OER	—	TEST-OER-OERPF v1 ([ORG]CELL-OERL)	—
[ORG]CELL-OERPB	CELL	AI Agent	ai	none	[ORG]POD-OERPF	none	TEST-OER-OERPB v1 ([ORG]CELL-OERL)	none
[ORG]CELL-OERCA	CELL	AI Agent	ai	none	[ORG]POD-OERPF	none	TEST-OER-OERCA v1 ([ORG]CELL-OERL)	none

The card data (the blueprint governs). The block below holds every value of every Pod and Cell card and of the bot identity card of every AI Cell. tools/make_cards.py expands it into the complete forms of the template and of spec/schemas/unit-card.schema.json and bot-identity-card.schema.json of 49GAION-protocol, writes them into cards/ as generated copies, and checks them against the schemas, the code rules of tests/cards/check_cards.py of 49GAION-protocol, and this blueprint.

```
parts:
  defaults:
    accountable_to: "[ORG]CELL-OERL"
```

```
    card_version: "v0.1.3"
    version: "0.1.3"
    lifecycle_state: "designed"
    test_version: "v1"
    test_owner: "[ORG]CELL-OERL"
    audit_trail: "the event record of [ORG]AIOC-OER"
    hu_in: ["direction from the Operations Event Register Lead (never an entry)"]
    hu_out: ["report to the Operations Event Register Lead"]
  cells:
    - code: "[ORG]CELL-OERL"
      full_name: "Operations Event Register Lead"
      parent: "[ORG]AIOC-OER"
      type: "Human Seat"
      filler_kind: "human"
      hoac: "[ORG]HOAC-ACS"
      accountable_to: "[ORG]CELL-TMS"       # example code of the Cell carrying [OR
G]HOAC-TM
      entity: "<entity>"
      authority_scope:
        decision_types: ["connect-external-port", "grant-or-widen-access", "change-
fixed-test-or-threshold", "change-filler"]
        entity: "<entity>"
        expires: "2027-10-17"                # placeholder; the organisation sets i
t
        authority: "delegated"
      test: { id: "TEST-OER-OERL", cases: "5, 14, 37, 38, 40, 42, 50", owner: "[ORG
]CELL-TMS" }
      ai_in: ["decision requests from the Chief of Staff", "brief", "integrity find
ings"]
      ai_out: ["direction and configuration"]
      hu_in: ["direction from the Cell carrying [ORG]HOAC-TM", "the formal scope, t
he HF-17 decision and the notices for a surface"]
      hu_out: ["surface connections and revocations, signed at the tool gateway", "
rulings on raised items", "report to the Cell carrying [ORG]HOAC-TM"]
    - code: "[ORG]CELL-COSOER"
```

```
      code_rule: "R16"                    # 49GAION/DR-0028; replaces [ORG]CELL-OE
RCS (retired, R5)
      lineage: { id: "[ORG]CELL-OERCS", version: "0.1.0", relation: "derived" }
      full_name: "Operations Event Register Chief of Staff"
      role: "Chief of Staff"
      parent: "[ORG]AIOC-OER"
      type: "AI Chief of Staff"
      filler_kind: "ai"
      cell_kind: "chief-of-staff-cell"
      test: { id: "TEST-OER-COSOER", cases: "1, 6, 8, 9, 11, 24, 25, 30, 31, 37, 45
, 47, 49, 51 to 60" }
      ai_in: ["admitted event", "registration request", "notice from Source Lifecyc
le", "entry", "integrity finding", "evidence pack", "case pack"]
      ai_out: ["correspondence filing", "dispatch to a Cell", "decision request to
the Operations Event Register Lead"]
      hu_in: ["file request", "evidence pack request", "surface connection request"
, "closure of an entry with its reason", "direction from the Operations Event Regis
ter Lead"]
      hu_out: ["evidence pack", "handover list", "brief to the Operations Event Reg
ister Lead"]
      external_ports:
        - { port: "sl-out", direction: "output", accepted_content: ["correspondence
 filing", "activity export", "gap signal"], authority_limit: "the write scope Sourc
e Lifecycle grants this AIOC (origin kinds correspondence and export) and its Input
 socket for gap signals; by reference and hash", audit_trail: "unit register connec
ted and disconnected events; Source Lifecycle's receipts" }
      bot:
        allowed_actions: ["dispatch Cells of this AIOC", "run the code steps of the
 Input socket", "file into Source Lifecycle what a position asks to keep", "return
evidence packs within the asking position's scope", "refuse a request about one hum
an position and record the refusal", "send notices and briefs", "prepare surface co
nnection requests"]
        ask_first_actions: ["any change to configuration", "any act on a surface's
grant", "a budget above the cap", "anything outside its role card"]
    - { code: "[ORG]CELL-OERIC", full_name: "Operations Event Register Integrity Ch
ecker", role: "Integrity Checker", parent: "[ORG]AIOC-OER", type: "AI Agent", fille
r_kind: "ai", test: { id: "TEST-OER-OERIC", cases: "3, 13, 19, 22, 35, 36" }, ai_in
: ["the register, read only", "census readings", "gateway segment roots"], ai_out:
["integrity finding"], bot: { allowed_actions: ["run the daily integrity checks and
 report findings"], ask_first_actions: ["anything outside its role card"] } }
```

```
  - code: "[ORG]CELL-OERCC"
    full_name: "Operations Event Register Capture Clerk"
    role: "Capture Clerk"
    parent: "[ORG]POD-OERCR"
    type: "AI Agent"
    filler_kind: "ai"
    test: { id: "TEST-OER-OERCC", cases: "3, 4, 17, 18, 19, 22" }
    ai_in: ["admitted event", "registration request"]
    ai_out: ["draft entry", "numbered entry", "census reading"]
    external_ports:
      - { port: "surface-in", direction: "input", accepted_content: ["changes of
state of work objects on the connected surfaces"], authority_limit: "the scopes sig
ned under connect-external-port for each surface; the classes of act set as formal"
, audit_trail: "unit register connected and disconnected events" }
      - { port: "gateway-log-in", direction: "input", accepted_content: ["hand-of
fs between AI units", "log segment roots"], authority_limit: "read only; never a pa
yload", audit_trail: "unit register connected and disconnected events" }
    bot:
      allowed_actions: ["run the surface adapters", "build entries by reference a
nd hash", "take numbers from the numbering service", "chain entries", "register lat
e what arrives late", "reconcile each surface with its census"]
      ask_first_actions: ["anything outside its role card"]
  - { code: "[ORG]CELL-OERC", full_name: "Operations Event Register Classifier",
role: "Classifier", parent: "[ORG]POD-OERCR", type: "AI Agent", filler_kind: "ai",
test: { id: "TEST-OER-OERC", cases: "2, 20, 21, 39" }, ai_in: ["draft entry"], ai_o
ut: ["class with reason", "referral to the Records Officer position"], bot: { allow
ed_actions: ["place an ambiguous item in its class, with its reason", "refer an ite
m that looks legal or regulatory to the Records Officer position"], ask_first_actio
ns: ["anything outside its role card"] } }
  - { code: "[ORG]CELL-OERTL", full_name: "Operations Event Register Thread Linke
r", role: "Thread Linker", parent: "[ORG]POD-OERLF", type: "AI Agent", filler_kind:
 "ai", test: { id: "TEST-OER-OERTL", cases: "23" }, ai_in: ["entry", "notice from S
ource Lifecycle"], ai_out: ["links", "finding"], bot: { allowed_actions: ["link ent
ries to their threads, Work Items, decisions, releases and sources", "mark acts tha
t cited a superseded source"], ask_first_actions: ["anything outside its role card"
] } }
  - { code: "[ORG]CELL-OERFC", full_name: "Operations Event Register Follow-up Cl
erk", role: "Follow-up Clerk", parent: "[ORG]POD-OERLF", type: "AI Agent", filler_k
ind: "ai", test: { id: "TEST-OER-OERFC", cases: "9, 24, 25" }, ai_in: ["open entry"
, "due rules"], ai_out: ["due state", "notice of due or overdue"], bot: { allowed_a
```

ctions: ["set the due state of open entries", "send notices to the owning position"
], ask_first_actions: ["anything outside its role card"] } }

    - { code: "[ORG]CELL-OERPB", full_name: "Operations Event Register Projection B
uilder", role: "Projection Builder", parent: "[ORG]POD-OERPF", type: "AI Agent", fi
ller_kind: "ai", test: { id: "TEST-OER-OERPB", cases: "8, 12, 26, 27, 33, 34" }, ai
_in: ["the register, read only", "evidence pack request", "case-pack Work Item"], a
i_out: ["inbox and outbox", "handover list", "return brief", "evidence pack", "case
 pack"], bot: { allowed_actions: ["build projections and packs from the events, wit
hin the asking position's scope"], ask_first_actions: ["anything outside its role c
ard"] } }

    - { code: "[ORG]CELL-OERCA", full_name: "Operations Event Register Coverage Ana
lyst", role: "Coverage Analyst", parent: "[ORG]POD-OERPF", type: "AI Agent", filler
_kind: "ai", test: { id: "TEST-OER-OERCA", cases: "7, 10, 28, 29, 31, 32" }, ai_in:
 ["the register, read only"], ai_out: ["coverage feedback", "activity projection",
"gap notice for Source Lifecycle"], bot: { allowed_actions: ["compute the measures
M1 to M8 by entity, unit, process and AI Cell", "build the activity projection by r
ole-type and process", "raise gaps for Source Lifecycle"], ask_first_actions: ["any
thing outside its role card"] } }

  pods:

    - { code: "[ORG]POD-OERCR", full_name: "Operations Event Register Capture and R
egistration", type: "AI Pod", inner_units: ["[ORG]CELL-OERCC", "[ORG]CELL-OERC"], t
op_cell: "[ORG]CELL-OERCC", test: { id: "TEST-OER-OERCR", cases: "2, 3, 4, 17, 18,
19, 20, 21, 22, 39" }, ai_in: ["admitted event", "registration request"], ai_out: [
"classified, numbered and chained entries", "census reading"] }

    - { code: "[ORG]POD-OERLF", full_name: "Operations Event Register Linking and F
ollow-up", type: "AI Pod", inner_units: ["[ORG]CELL-OERTL", "[ORG]CELL-OERFC"], top
_cell: "[ORG]CELL-OERTL", test: { id: "TEST-OER-OERLF", cases: "9, 23, 24, 25" }, a
i_in: ["entry", "notice from Source Lifecycle", "due rules"], ai_out: ["links", "du
e states", "notices"] }

    - { code: "[ORG]POD-OERPF", full_name: "Operations Event Register Projections a
nd Feedback", type: "AI Pod", inner_units: ["[ORG]CELL-OERPB", "[ORG]CELL-OERCA"],
top_cell: "[ORG]CELL-OERPB", test: { id: "TEST-OER-OERPF", cases: "7, 8, 10, 12, 26
, 27, 28, 29, 31, 32, 33, 34" }, ai_in: ["the register, read only", "requests"], ai
_out: ["projections", "feedback", "packs", "feeds to Source Lifecycle"] }

- **Accountability.** Every Pod and Cell of this AIOC is accountable_to [ORG]CELL-OERL. The AIOC itself and the Lead are accountable_to the Cell carrying [ORG]HOAC-TM, which signs the AIOC's install, its change-parent and its restart-stopped-unit.
- **The Lead's authority.** The authority_scope of [ORG]CELL-OERL lists the listed types it signs on this AIOC's surfaces and Cells. The expiry date is a placeholder. The decisions of §13 that belong to other positions are never signed by the Lead for them.

- **Bots.** Each AI Cell's bot (eight) has its own identity card, with its own credential, never_signs: true, and its memory sealed on a change of filler (Protocol §10, item 3). The credential IDs in cards/bots/ are placeholders; the credentials live only in the organisation's vault.
- **Engines.** A bot's identity card names no engine; the gateway binds engines per call. Only the Classifier calls a model.
- **Not Cells of this AIOC:** the Records Officer, the position that holds data protection and the internal-audit line (§2.1, §15).

Code checks (Naming Standard R15, R16 and §5), recorded on 17 October 2026; the Chief of Staff's COS code on 19 October 2026. Each code is checked again against the organisation's unit register before first use (R6, R15.3).

Code	Initials of the full name (R15)	§5.1: no AIOC, AION or 49GAION	§5.2: no match among the codes checked	§5.3: not a version suffix or misleading acronym	§5.4: recorded before first use
[ORG]CELL-OERL	**O**perations **E**vent **R**egister **L**ead → OERL	pass	pass	pass	blueprint §17, 17 October 2026; the organisation's register before first use
[ORG]CELL-COSOER	R16, item 2 (49GAION/DR-0028): COS and the initials of [ORG]AIOC-OER → COSOER. It replaces [ORG]CELL-OERCS, retired at v0.1.1 (R5) and kept in the card's lineage	pass	pass (distinct from the COS codes of the other mothers: COSSL, COSPC, COSDI, COSPPD, COSTOM, COSCH)	pass	blueprint §17, 19 October 2026; the organisation's register before first use
[ORG]CELL-OERIC	**O**perations **E**vent **R**egister **I**ntegrity **C**hecker → OERIC	pass	pass	pass	as above


Code	Initials of the full name (R15)	§5.1: no AIOC, AION or 49GAION	§5.2: no match among the codes checked	§5.3: not a version suffix or misleading acronym	§5.4: recorded before first use
[ORG]POD-OERCR	**O**perations **E**vent **R**egister **C**apture and **R**egistration → OERCR	pass	pass	pass	as above
[ORG]CELL-OERCC	**O**perations **E**vent **R**egister **C**apture **C**lerk → OERCC	pass	pass	pass	as above
[ORG]CELL-OERC	**O**perations **E**vent **R**egister **C**lassifier → OERC	pass	pass (distinct from -OERCC, -OERCS, POD-OERCR)	pass	as above
[ORG]POD-OERLF	**O**perations **E**vent **R**egister **L**inking and **F**ollow-up → OERLF	pass	pass	pass	as above
[ORG]CELL-OERTL	**O**perations **E**vent **R**egister **T**hread **L**inker → OERTL (a plain "Linker" would give OERL, the Lead's code)	pass	pass	pass	as above
[ORG]CELL-OERFC	**O**perations **E**vent **R**egister **F**ollow-up **C**lerk → OERFC	pass	pass	pass	as above
[ORG]POD-OERPF	**O**perations **E**vent **R**egister **P**rojections and **F**eedback → OERPF	pass	pass	pass	as above

Code	Initials of the full name (R15)	§5.1: no AIOC, AION or 49GAION	§5.2: no match among the codes checked	§5.3: not a version suffix or misleading acronym	§5.4: recorded before first use
[ORG]CELL-OERPB	**O**perations **E**vent **R**egister **P**rojection **B**uilder → OERPB	pass	pass	pass	as above
[ORG]CELL-OERCA	**O**perations **E**vent **R**egister **C**overage **A**nalyst → OERCA	pass	pass	pass	as above

The codes checked against:

- the twelve codes above, against each other;
- the codes of the Source Lifecycle mother v0.1.2 ([ORG]CELL-SLL, -SLCS, -SLIA, -SLCR, -SLSC, -SLGF, -SLCA, -SLD; [ORG]POD-SLIR, -SLDP);
- the example codes [ORG]AIOC-CH, [ORG]AIOC-OCO, [ORG]CELL-TMS, [ORG]CELL-GOV, [ORG]POD-RV;
- the AIOC codes named in the 49GAION corpus and the retired codes of the Naming Standard §4.

UNVERIFIED against any organisation's unit register; each organisation checks them in its own.



Annex A

Classes of act, and the line surface by surface

Classes.


Class	What	Treatment
A. Formal correspondence	letters and formal e-mail of an entity or a position, in and out; the organisation's own posts	a full, numbered entry with its due rule; register first for formal outgoing items, where the gateway policy is on
B. Requests between units or entities	division to division, entity to entity, AIOC to AIOC hand-offs	these are Work Items: the Work Item's ID is the entry's link, and the register is a projection of the queue's events; a formal instruction between entities is also class A, with one entry on each side
C. Machine traffic	AI calls through the gateway	the gateway log stays its home; the register keeps one root hash per log segment, and the hand-offs
D. Code-host events	merge, close with a decision, release, tag	repository, number, final state, merge commit or tag, time, Work Item ID, release ID; never each comment or commit of a human position; no author; an AI Cell's commits are its acts
E. Noise	newsletters, notifications, auto-replies, read receipts, sign-in mail	counted per channel, never kept
F. Private	personal messages, direct messages, private channels, recordings of calls or meetings	never captured; a call enters only as a note its participant approves, through Source Lifecycle

The line, surface by surface. "Record" means one entry with references and a hash; the content stays in its home. "By reference" means only when a position files the item, or when the Cell carrying [ORG]HOAC-TM sets its class as formal. "Count" means a count per channel or unit, above the minimum group size. "Never" means never captured.

Surface	Record	Never
Functional mailboxes of an entity or a position; letters	formal correspondence; noise is counted	read times, response times
Personal mailboxes	by reference: only what the position itself files	any sweep
The organisation's own posts	every post: time, URL, hash of text and media, edits and deletions found on re-check	staff's personal accounts
The shared queue; the tool gateway	every state change; segment anchors and hand-offs	a history per human position
Code hosts	merge, close with a decision, release, tag, linked to the Work Item; every act of an AI bot	commits per author, review latency, comment text
Task tracker	tasks that are, or link to, Work Items; state by unit and process	assignee names, time tracking, comments
Knowledge base	approval or publication of controlling pages (filed in Source Lifecycle as sources)	edit history, page views
Team chat	channels the Cell carrying [ORG]HOAC-TM sets as formal; messages a position files; workflow forms	direct messages, private channels, presence, reactions, any sweep
Calendars; calls	meetings of decision bodies, with the link to their minutes; a call only as an approved note	recordings, transcripts, personal calendars, attendance
The whistleblowing channel	nothing	everything, counts included

Cells that act for a position (a Chief of Staff, an attached assistant, a duty deputy) mirror a human position. For them the register records only the acts that leave the position's sphere: Work Items sent, signed actions carried out,

formal outgoing items. It never records the exchange between the position and its assistant. Their measures go to the position only.



Annex B

The register entry

Identity and integrity

- registry_no: the readable number, in the form <entity>-<IN|OUT|INT>-<yyyy>-<seq>, from the numbering service;
- event_id: its idempotency key;
- prev_hash and entry_hash;
- capture_mode: gated, pushed, fetched or reconciled;
- occurred_at and registered_at;
- late and lag.

The crossing

- direction, class and channel;
- from, to and cc: a Cell code the gateway stamped, the unit or position that owns the address, not attributed, or the ID of an outside party held in the restricted partition; never an identifier of a natural person;
- entity_from, entity_to and crossing_id.

Content, by reference

- home_ref: a message ID, a Work Item ID, a repository and number with a commit, a release tag, or a post ID;
- content_hash, or a snapshot hash with its as_of time for a mutable object;
- an attachment manifest, one hash per attachment;
- content_held: none, or the Source Lifecycle reference once filed;
- "withheld: secret", with the reason.

File and follow-up

- the file or case, from the entity's file plan;
- in_reply_to and answers;
- the owning position, due date and reminder;
- its state, as events: open, acknowledged, answered, overdue, closed or voided, each closure with its reason.

Links

- the Work Item, decision, signature reference, release and sources, by version.


Governance

- confidentiality level and sensitivity tags;
- authority: none, unless a signature or decision is linked;
- legal hold;
- retention class.

Per channel

- outgoing formal e-mail: the authorising position and the delivery evidence;
- letters: the signatory position, the dispatch mode, the tracking reference and where the original is kept;
- posts: the account, URL, the hash of text and media, the approval reference, and scheduled re-checks for edits and deletions.

A correction is always a new event. No entry holds content, and no entry names a natural person.



Annex C

The measures: what each part had and what it lacked

Each measure is given per entity, unit (AIOC or Pod), process and AI Cell, per period, against an absolute bar the organisation set. Measures are never ranked. A figure drawn from the acts of fewer human positions than the minimum group size, whether for a unit, a process or a role-type, rolls up to the parent unit. Each figure carries its logic version and traces to its events.


A fixed list. These eight measures and the projections of §5.6 and §5.9 are the whole list (Protocol §22, item 7). A new measure or projection runs only after a new impact assessment, a decision of the Cell carrying [ORG]HOAC-TM, and the consultation the law requires.

#	Measure	Had / lacked
M1	Coverage	crossings registered ÷ crossings in the surface census, per surface; with no census, no census
M2	Linked	entries of class B and D with a Work Item ÷ all entries of those classes; the orphans listed
M3	Orphan merges	merges with no Work Item or no verdict record (Protocol §8) ÷ all merges, per owning unit
M4	Answered on time	entries answered by their due date ÷ entries due in the period; open overdue count and median age
M5	Done with a source	done Work Items whose sources resolve to one valid version (Protocol §8) ÷ all done items
M6	Registered late	the share of entries flagged late, and the median lag: the register's own health
M7	Closed by silence	closures with no reason; the bar is zero

#	Measure	Had / lacked
M8	Returned	refusals at the Input socket ÷ arrivals, by reason

Never computed: read times, response times per position, presence, counts or rates per human position, who talks to whom among human positions.

Firewall. No figure goes to appraisal, pay, discipline or promotion. A query by a human position's code over time is refused, and the refusal is recorded to the position that holds data protection and to the internal-audit line.




Annex D

What each surface yields

Each surface is read through its own adapter, by role, never by product name in this Library text (Protocol §10, item 5).

Surface role	What its events usually carry	Capture
Code host	full objects on webhooks: pull or merge requests, pushes, releases	pushed; the merge commit is itself a content hash
Task tracker	the change, before and after, often with the actor's name or address	pushed; every person field removed at the Input socket
Knowledge base	often a signal only: IDs, no content	fetched at event time; a snapshot hash with as_of
Team chat	the message, for channels the adapter has joined	pushed, from formal channels only; never a backfill of other channels
Mail system	often a signal only; the message fetched by its ID	fetched; the hash of the raw message, its message ID; never the body
Social platforms	varies by platform	gated at publication through register first, then re-checked
Calendar	a signal of a change	fetched; decision bodies only
Shared queue; tool gateway	native events and log segments	pushed; segment roots read only


An audit log of a surface, where its plan provides one, is used only as a census, never for content.



Annex E

What this AIOC never does

1. Decides, authorises, sends, or refuses an item on its merits.
2. Holds the content of what it records, beyond references and hashes.
3. Records a person's activity: views, reads, presence, typing, reactions, read or response times.
4. Sweeps a mailbox or a chat; reads a direct message, a private channel or a personal account; records a call or a meeting.
5. Computes, shows or exports a figure, list or history of one human position's acts; ranks or compares positions or units.
6. Gives a figure to appraisal, pay, discipline or promotion.
7. Takes any part of the whistleblowing channel, its counts included.
8. Holds back a stop, a revocation, an objection, a critique, a skip report or a signature prompt.
9. Mints its own number, or changes or deletes a past entry.
10. Gives an order, chases, or closes an entry by silence.
11. Names a natural person, or reads who occupies a position.
12. Connects a surface before its decisions are recorded (Annex F).
13. Calls a model on correspondence with counsel, or sends an item to an engine below its confidentiality level.
14. Holds, logs or exports a secret.
15. Follows an instruction found inside an item.
16. Runs a projection or measure not on its fixed list, or receives, holds or infers an identifier of a natural person.



Annex F

Before a surface is connected

In this order, each step recorded before the next.

1. **Scope.** The Cell carrying [ORG]HOAC-TM sets the surface, the entities, the closed list of classes of act set as formal, and the stated purpose: evidence of formal acts and of process coverage, never performance, conduct or attendance.
2. **Impact assessment and lawful basis.** The position that holds data protection (HF-17) records an impact assessment for the surface, and a lawful basis per entity. Staff consent is never the basis. Where a high risk remains, the authority is consulted first.
3. **Labour law in each entity.** Staff or their representatives are informed and, where the law requires it, consulted, or their agreement is obtained.
4. **Notices.** A notice to staff, and privacy notices for outside parties.
5. **Between entities.** The intra-group arrangement, a lawful transfer mechanism where needed, and the retention schedule (H-04, H-05).
6. **The port.** The Lead signs connect-external-port at the tool gateway; its token is held only in the platform's secret store or behind the gateway.
7. **The pilot.** Observed only, so that it can block nothing. Its negative tests pass first:
   - a person field is refused;
   - a direct message cannot be read;
   - a request about one human position is refused;
   - the whistleblowing channel is absent;
   - a stop reaches capture at once.
8. **Running.** The Lead switches the surface to running. A new class or purpose on a running surface starts again at step 1.
9. **Every year.** The internal-audit line reviews the register's use against its stated purpose and fixed list (Protocol §22, item 7).

[ORG]AIOC-OER mother blueprint v0.1.3 · Powered by 49GAION


49G AI
49G HOLDING | 49G AI
www.49g.com